SURFACE MOUNT MONOLITHIC CHIP CAPACITORS COG AND TEMPERATURE COMPENSATING TYPES GRM36/39/40/42-6/42-2/43-2/44-1 Series





FEATURES

- Miniature size
- No Polarity
- Nickel Barrier Termination Standard highly resistant to metal migration
- Uniform dimensions and configuration
- Suitable for reflow soldering
- GRM39, 40 and 42-6 suitable for wave soldering
- Minimum series inductance
- Tape and Reel Packaging
- Bulk Case Packaging available for GRM40 and smaller
- Wide selection of capacitance values and voltages
- Largest production capacity and volume in the world

PART NUMBERING SYSTEM


		GRM40	- COG 101 J	050 A	<u>D</u>		7	
CAPACITOR TYPE AND SIZE See below and following pages.	3-digit code appears as necessary to indicate	TEMPERATURE CHARACTERISTICS COG COH	CAPACITANCE VALUE Expressed in picofarads and identified by a three-digit number.	CAPACITANCE TOLERANCE *= Standard ≤ 5pf:	VOLTAGE Identified by a three-digit	 KING Jnmarked	PACKAGI	NG
ionowing pages.	special thickness	P2H R2H	First two digits represent significant	B = ±.1pf *C = ±.25pf	number.	Reel Dian Tape Mat		Code
	requirements.	S2H	figures. Last digit	>5 pf to ≤ 10 pf:		7" Paper	Таре	D
	Please consult vour local	T2H U2J	specifies the number of zeros to follow.	B = ± 1pf C = ± 25pf		7" Plastic	Tape	L
	sales office	SL	For fractional values	*D = ±.5pf		13" Paper	⁻ Tape	J
	for details.		below 10pF, the letter "R"	>10pf:		13" Plasti	с Таре	K
			is used as the decimal	K = ±10% *J = ±5%		Bulk		В
			point and the last digit becomes significant.	G = ±5% G = ±2%		Bulk Casse	tte	С
			5555mos Significants	F = ±1%		7" Paper 2mm pitch	ı	Q
						See pages 115 packaging info		beling an

CHIP DIMENSIONS

Dimensions: mm	Size	EIA Code	L Length	W Width	T Thickness	e (min.) Termination	g (min.) Insulation
	GRM36	0402	1.0 ± 0.05	0.5 ± 0.05	0.5 ± 0.05	0.15 ~ 0.3	0.4
	GRM39*	0603	1.6 ± 0.1	0.8 ± 0.1	0.8 ± 0.1	0.2 ~ 0.5	0.5
			2.0 ± 0.1	1.25 ± 0.1	0.6 ± 0.1	0.2 ~ 0.7	
→ e	GRM40	0805			0.85 ± 0.1		0.7
					1.25 ± 0.1		
			3.2 ± 0.15	1.6 ± 0.15	0.85 ± 0.1		1.5
	GRM42-6	1206	3.2 ± 0.13	1.0 ± 0.15	1.15 ± 0.1	0.3 ~ 0.8	
			3.2 ± 0.2	1.6 ± 0.2	1.6 ± 0.2		
<u> </u>			3.2 ± 0.3 2.5 ± 0.2 1.15 ± 0.1 1.35 ± 0.15 0.3		1.15 ± 0.1		
l l w	GRM42-2	1210		0.3 min.	1.0		
	UNW42-2	1210	3.2 ± 0.3	2.3 ± 0.2	1.8 ± 0.2	0.3 111111.	1.0
					2.5 ± 0.2		
	GRM43-2	1812	4.5 ± 0.4	3.2 ± 0.3	2.0 max.	0.3 min.	2.0
	GRM44-1	2220	5.7 ± 0.4	5.0 ± 0.4	2.0 max.	0.3 min.	2.0

^{*}Bulk case packaging is L = 1.6 \pm 0.07, W, T = 0.8 \pm 0.07.

CHIP TERMINATION DIAGRAMS



All products on this page are available as standard through authorized Murata Electronics Distributors.

SURFACE MOUNT MONOLITHIC CHIP CAPACITORS COG AND TEMPERATURE COMPENSATING TYPES — Immorator in Electronics SPECIFICATION GRM36/39/40/42-6/42-2/43-2/44-1 Series



GENERAL

Temperature Coefficient	Temperature Range
COG = 0 ± 30 ppm*	−55° to +125°C
$COH = 0 \pm 60 \text{ ppm}$	–55° to +125°C
$P2H = N150 \pm 60 ppm$	–55° to +85°C
$R2H = N220 \pm 60 \text{ ppm}$	–55° to +85°C
$S2H = N330 \pm 60 ppm$	–55° to +85°C
$T2H = N470 \pm 60 \text{ ppm}$	–55° to +85°C
$U2J = N750 \pm 120 \text{ ppm}$	–55° to +85°C
SL = N1000 to P350	–55° to +85°C
*TC Tolerance for COG Refer to EIA-RS198E for other limitations	

ELECTRICAL

TEST					
Capacitance & Q (Frequency & Voltage):	≤1000pF 1MHz ± 100Hz @ 1.0 ± .2 Vrms >1000pF 1kHz ± 100Hz @ 1.0 ± .2 Vrms				
Q Limits	≤30pF: 400 + (20xC (pF)) >30pF: 1000 minimum				
Insulation Resistance (I.R.)	100,000 megohms or 1000 megohms – mfd (whichever is less) with rated voltage applied for 2 minutes max with 50mA limiting current				
Dielectric Strength (Flash)	250% of rated voltage for 5 seconds with series resistor limiting charging current to 50mA max.; 200% for 500V				
Aging	Negligible				

MECHANICAL

TEST	TEST METHOD	POST TEST LIMITS
Terminal Adhesion	Glass Epoxy Board	≤0603 1.0 lbs. ≥0805 2.2 lbs. No evidence of termination peeling
Deflection	Mounting Capacitor R340 Load Deflection Unit: mm 45 45 Supporter Supporter	1 mm deflection (Glass epoxy board) No mechanical damage Cap., DF, IR meet initial limits
Solderability	MIL-STD-202 Method 208F	Contact factory for test limits

ENVIRONMENTAL

TEST	TEST METHOD	POST TEST LIMITS		
Thermal Shock (Air to Air)	MIL-STD-202, Method 107, Condition A Post thermal Shock measurement shall be taken after 24 hours stabilization.	Appearance: No visual damage ΔC : = $\pm 2.0\%$ or ± 0.5 pF (whichever is greater) Q: >30 pF = $1,000$ min., ≤ 30 pF = $400 + [20 \times C(pF)]$ I.R.: = $100,000$ M Ω min. or $1,000$ M Ω • μ F (whichever is less)		
Humidity, Steady State	Maintain the capacitor at $40 \pm 2^{\circ}\text{C}$ and 90 to 95% humidity for 500 ± 12 hours. Remove and let sit for 24 ± 2 hours at room temperature, then measure.	Appearance: No defects Capacitance: Within ±5% or ±.0.5pF (whichever is greater) Q/D.F.: 30pF and over: Q≥350; 10pf to 30pf: Q≥275+5/2C 10pf and below: Q≥200±10C I.R.: 1,000MΩ or 50MΩ F (whichever is less) C: Nominal Capacitance (pF)		
Humidity Load	Apply the rated voltage at $40 \pm 2^{\circ}\text{C}$ and 90 to 95% humidity for 500 ± 12 hours. Remove and let sit for 24 ± 2 hours at room temperature, then measure. The charge/discharge current is less than 50mA.	Appearance: No defects Capacitance: Within ±7.5% or ±.0.75pF (whichever is greater) Q/D.F.: 30pF and over: Q≥200; 30pf and below: Q≥100±10/3C I.R.: 500MΩ or 25MΩ F (whichever is less) C: Nominal Capacitance (pF)		
Life Test	Apply 200% of rated voltage for 1000 ± 12 hours at maximum operating temperature; 150% for 500V. Upon completion of above test wait 24 hours prior to performing post testing.	Appearance: No defects Capacitance: ±3% or ±.3pF (whichever is greater) Q: >30pF = 500 min., ≤30pF = 200 + [10 x C(pF)] I.R.: 1,000MΩ or 50MΩ F (whichever is less) Flash: 250% rated voltage		

STORAGE LIFE


Chip component terminations should generally be protected from moisture. In addition, they should also be protected from materials containing chlorine, sulfur compounds or any harmful gases that could cause degradation of the solder.

- 1. All chip components, including tape and reel, should be kept in an area where the temperature is between 5°C and 40°C and where the humidity is 20% to 70%.
- 2. The chip components should be used within six months.
- 3. The solderability of the chip components should be rechecked in the event that they are not used in six months.
- 4. Peel strength and shelf life of tape are guaranteed for 1 year when stored under afore said conditions.

SURFACE MOUNT MONOLITHIC CHIP CAPACITORS COG/COH TYPE-25V/50V/100V/200V



GRM36/39/40/42-6 Series




THICKNESS AND PACKAGING TYPES/QUANTITY

Туре	Thickness: T (mm)	Bulk (pcs./bag)	Taping (pcs./⊕178mm reel) ¹	Bulk Case (pcs./case)	Туре	Thickness: T (mm)	Bulk (pcs./bag)	Taping (pcs./⊕178mm reel)¹	Bulk Case (pcs./case)
GRM36	: 0.5 ± 0.05	1000	10000	50000	GRM42-6	: 0.85 ± 0.1	1000	4000	_
GRM39	\square : 0.8 ± 0.1 ²	1000	4000	15000	UNIVI42-0	: 1.15 ± 0.1	1000	3000	_
	: 0.6 ± 0.1	1000	4000	10000					
GRM40	: 0.85 ± 0.1	1000	4000	_					
	: 1.25 ± 0.1	1000	3000	5000	¹ф330mm	reel is available on requ	est. ² Bulk cas	e packaging is $T = 0.8 \pm 0.0$)7.

SURFACE MOUNT MONOLITHIC CHIP CAPACITORS COG TYPE-50V/100V/200V



GRM42-2/43-2/44-1 Series




THICKNESS AND PACKAGING TYPES/QUANTITY


Туре	Thickness: T (mm)	Bulk (pcs./bag)	Taping (pcs./ф178mm reel)*
GRM42-2	: 1.35 ± 0.15	1000	2000
GRM43-2	: 2.0 max.	1000	1000
GRM44-1	: 2.0 max.	1000	1000

^{*\$\}phi330mm reel is available on request.

SURFACE MOUNT MONOLITHIC CHIP CAPACITORS TEMPERATURE COMPENSATING TYPE-25V/50V

muRata Innovator in Electronic N 136 / 30 Sorios





THICKNESS AND PACKAGING TYPES/QUANTITY


Туре	Thickness: T (mm)	Bulk (pcs./bag)	Taping (pcs./⊕178mm reel) ¹	Bulk Case (pcs./case)					
GRM36	: 0.5 ± 0.05	1000	10000	50000					
GRM39	: 0.8 ± 0.1 ²	1000	4000	15000					

 $^{^{1}}$ ϕ 330mm reel is available on request. 2 Bulk case packaging is T = 0.8 \pm 0.07.

SURFACE MOUNT MONOLITHIC CHIP CAPACITORS TEMPERATURE COMPENSATING TYPE-25V/50V



GRM40/42-6 Series



THICKNESS AND PACKAGING TYPES/QUANTITY

Type	Thickness: T (mm)	Bulk (pcs./bag)	Taping (pcs./⊕178mm reel)*	Bulk Case (pcs./case)	Type	Thickness: T (mm)	Bulk (pcs./bag)	Taping (pcs./ф178mm reel)*	Bulk Case (pcs./case)
	: 0.6 ± 0.1	1000	4000	10000	GRM42-6	: 0.85 ± 0.1	1000	4000	_
GRM40	: 0.85 ± 0.1	1000	4000	_		: 1.15 ± 0.1	1000	3000	_
	: 1.25 ± 0.1	1000	3000	5000	*ф330mm ı	eel is available on reque	st.		