

Camelion®



Product Catalogue 2024 / 25

BATTERIES & RECHARGEABLES

www.camelion.com

Camelion®

...for more energy

Empower Every Possibility with More Energy Solutions

Camelion has been providing energy solutions to customers worldwide for over 25 years. As one of the most influential energy solution brands in the global market, Camelion is now actively operating in over 120 countries and regions in collaboration with our business partners. Our mission is to satisfy our customers with the finest quality products, customer-friendly price and thoughtful services. Whenever and wherever you are in need, we are always ready for your help with all the energy solutions you need.

Just try us out!



Content

Primary Batteries

Lithium	6
Ultra Alkaline	8
Plus Alkaline	10
Digi Alkaline	16
Super Heavy Duty (Green)	18
Super Heavy Duty (Blue)	22
Photo Lithium	24

Electronic Button Cells

Electronics Lithium	28
Electronics Alkaline	30
Remote Control Batteries	32
Electronics Silver Oxide	34
Zinc Air	36
Battery Selection Chart	39

Rechargeable Batteries

AlwaysReady	42
Ni-MH	46



Camelion®

Primary Batteries

Whether you need power for your digital camera, MP3 player, PDA or remote control, Camelion primary batteries have you covered. Our Alkaline, Lithium and Zinc-Carbon batteries are reliable, long-lasting and easy to use.

They deliver consistent performance and quality for all your devices.

Our Zinc-Carbon batteries are also leak-proof, durable and economical. They are perfect for low-drain applications such as flashlights, radio/tape recorders, remote controls and watches.

Choose Camelion primary batteries and enjoy the freedom and flexibility of powering your devices anytime, anywhere.

Lithium

Camelion Lithium P7™ batteries offer a unique combination of lightness and high energy density. As Camelion's most powerful primary battery, the P7 batteries, offer unbeatable performance for your high drain devices such as digital cameras, music players and games. It can be stored up to 10 years.





Lithium P7

- Exceptional performance for high drain devices
- Up to 7X longer usage time than normal alkaline batteries when used in high drain devices
- 10-year storage life
- Super lightweight battery
- Higher operating voltage and flatter discharge curve
- Superior leakage resistance



FR6-BP2

Art.-No.: 19000206

1.5V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	9.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 15(D)	
Inner Box (mm)	131(L) x 98(W) x 86(H)	
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)	



FR03-BP2

Art.-No.: 19000203

1.5V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	8.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 11(D)	
Inner Box (mm)	119(L) x 75(W) x 86(H)	
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)	



9V Lithium Battery

The new **Lithium 9V** battery from Camelion is a high capacity battery designed to provide long lasting life and stable operating voltage.

- Up to 5x Longer Lasting*
- Low Self Discharge
- Anti leakage crimp design
- Temperature Range -20°C to +55°C
- Non-rechargeable
- 10 Year Shelf Life
- High And Stable Operating Voltage

*compared to alkaline batteries. Camelion 2010 Lab Tests.



CR9V-SP1

Art.-No.: 19101122

9V



Packaging		Gross Weight:
Shrink	1 pcs/pack	14.5 kg
Inner Box	20 packs/box	Volume:
Outer Carton	200 packs/carton	0.0083 cbm
Dimensions		
Shrink (mm)	25.5(W) x 48.5(H) x 17.5(D)	
Inner Box (mm)	145(L) x 74(W) x 54(H)	
Outer Carton (cm)	39.0(L) x 17.5(W) x 13.5(H)	



CR9V-BP1

Art.-No.: 19001122

9V



Packaging		Gross Weight:
Blister	1 pcs/pack	8.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 18(D)	
Inner Box (mm)	123(L) x 117(W) x 86(H)	
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)	

Ultra Alkaline

Camelion Ultra Alkaline™ batteries are engineered to provide maximum power for premium digital devices such as digital and instant cameras, blood pressure monitors, game controllers, drones, and more that need precise and ever-demanding energy. It is our #1 long-lasting MAX power alkaline battery.





Ultra Alkaline

- Maximum Power
- Anti-Leak Protection
- 10-Year Shelf Life



LR03-BP4UT

Art.-No.: 11060403

1.5V AAA



4 260216 458026

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton

Gross Weight:

15.9 kg

Volume:

0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-BP4UT

Art.-No.: 11060406

1.5V AA



4 260216 458033

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	144 packs/carton

Gross Weight:

15.22 kg

Volume:

0.0185 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



LR03-BP2UT

Art.-No.: 11060203

1.5V AAA



4 260216 458002

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton

Gross Weight:

9.1 kg

Volume:

0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-BP2UT

Art.-No.: 11060206

1.5V AA



4 260216 458019

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	216 packs/carton

Gross Weight:

12.6 kg

Volume:

0.0251 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)

Plus Alkaline

Camelion Plus Alkaline Batteries offer reliable and long-lasting power for your devices. The batteries are specially designed to deliver stable and long-term current, supporting devices such as remote control, toys, smart lock, smart sensors and electronic gaming devices.





Plus Alkaline

- Efficient discharge and long-lasting power performance
- Sustain high-drain devices with powerful energy
- Unique anti-leakage seal technology
- Extended storage life for up to 10 years
- Mercury and cadmium free



LR03-BP2

Art.-No.: 11000203

1.5V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	9.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-BP2

Art.-No.: 11000206

1.5V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	12.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR14-BP2

Art.-No.: 11000214

1.5V C



Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



LR20-BP2

Art.-No.: 11000220

1.5V D



Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



6LR61-BP1

Art.-No.: 11000122

9V



Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)



6LR61 bulk

Art.-No.: 11090022



Packaging		Gross Weight:
Inner Box	12 packs/box	11.4 kg
Outer Carton	240 packs/carton	Volume:
		0.0083 cbm

Dimensions	
Single (mm)	25.5(W) x 48.5(H) x 17.5(D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 23.0(W) x 12.5(H)



LR03 bulk

Art.-No.: 11090003

1.5V AAA



Packaging		Gross Weight:
Inner Box	60 pcs/box	17.8 kg
Outer Carton	1200 pcs/carton	Volume:
		0.0096 cbm

Dimensions	
Single (mm)	14(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	23.5(L) x 21.5(W) x 19.0(H)



LR6 bulk

Art.-No.: 11090006

1.5V AA



Packaging		Gross Weight:
Inner Box	60 pcs/box	11.2 kg
Outer Carton	720 pcs/carton	Volume:
		0.0246 cbm

Dimensions	
Single (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

Plus Alkaline



LR03-SP4

Art.-No.: 11100403

1.5V AAA



Packaging		Gross Weight:
Shrink	4 pcs/pack	14.7 kg
Inner Box	15 packs/box	Volume:
Outer Carton	300 packs/carton	0.0084 cbm

Dimensions	
Shrink (mm)	40(W) x 44.5(H) x 10(D)
Inner Box (mm)	125(L) x 52(W) x 45(H)
Outer Carton (cm)	29.0(L) x 20.0(W) x 14.5(H)



LR6-SP4

Art.-No.: 11100406

1.5V AA



Packaging		Gross Weight:
Shrink	4 pcs/pack	17.8 kg
Inner Box	15 packs/box	Volume:
Outer Carton	180 packs/carton	0.0096 cbm

Dimensions	
Shrink (mm)	56(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	23.5(L) x 21.5(W) x 19.0(H)



LR14-SP2

Art.-No.: 11100214

1.5V C



Packaging		Gross Weight:
Shrink	2 pcs/pack	16.6 kg
Inner Box	6 packs/box	Volume:
Outer Carton	120 packs/carton	0.0123 cbm

Dimensions	
Shrink (mm)	52(W) x 50(H) x 26(D)
Inner Box (mm)	107(L) x 81(W) x 56(H)
Outer Carton (cm)	29.5(L) x 22.5(W) x 18.5(H)



LR20-SP2

Art.-No.: 11100220

1.5V D



Packaging		Gross Weight:
Shrink	2 pcs/pack	16.7 kg
Inner Box	6 packs/box	Volume:
Outer Carton	60 packs/carton	0.0122 cbm

Dimensions	
Shrink (mm)	66(W) x 61(H) x 33(D)
Inner Box (mm)	137(L) x 103(W) x 68(H)
Outer Carton (cm)	35.5(L) x 15.0(W) x 23.0(H)



6LR61-SP1

Art.-No.: 11100122

9V



Packaging		Gross Weight:
Shrink	1 pcs/pack	11.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0083 cbm

Dimensions	
Shrink (mm)	25.5(W) x 48.5(H) x 17.5(D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 23.0(W) x 12.5(H)



6LR61-PB6

Art.-No.: 11100622

9V



Packaging		Gross Weight:
Box	6 pcs/pack	7.8 kg
Inner Box	6 pcs/box	Volume:
Outer Carton	24 packs/carton	0.0105 cbm

Dimensions	
Shrink (mm)	71(W) x 68(H) x 49(D)
Inner Box (mm)	210(W) x 148(H) x 60(D)
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)



LR6-PB24

Art.-No.: 11102406

1.5V AA



Packaging		Gross Weight:
Box	24 pcs/pack	15.0 kg
Outer Carton	30 packs/carton	Volume:
		0.0190 cbm

Dimensions	
Plastic box (mm)	98(L) x 75(W) x 50(H)
Outer Carton (cm)	42.5(L) x 22(W) x 19(H)



LR03-PB24

Art.-No.: 11102403

1.5V AAA



Packaging		Gross Weight:
Blister	24 pcs/pack	9.0 kg
Outer Carton	30 packs/carton	Volume:
		0.0107 cbm

Dimensions	
Plastic box (mm)	80(L) x 60(W) x 45(H)
Outer Carton (cm)	34.5(L) x 18.5(W) x 17.0(H)



LR03-BP4

Art.-No.: 11000403

1.5V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-BP4

Art.-No.: 11000406

1.5V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



4+4LR6

Art.-No.: 11044806

1.5V AA



Packaging		Gross Weight:
Blister	8 pcs/pack	15.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0199 cbm

Dimensions	
Blister (mm)	168(W) x 114(H) x 15(D)
Inner Box (mm)	175(L) x 140(W) x 10.8(H)
Outer Carton (cm)	43.5(L) x 19.0(W) x 24.0(H)



4+4LR03

Art.-No.: 11044803

1.5V AAA



Packaging		Gross Weight:
Blister	8 pcs/pack	8.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0147 cbm

Dimensions	
Blister (mm)	168(W) x 114(H) x 11(D)
Inner Box (mm)	175(L) x 130(W) x 85(H)
Outer Carton (cm)	40.5(L) x 19.0(W) x 19.0(H)



8+4LR6-BP

Art.-No.: 11084006

1.5V AA



Packaging		Gross Weight:
Blister	12 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0190 cbm

Dimensions	
Blister (mm)	125(W) x 114(H) x 29(D)
Inner Box (mm)	132(L) x 100(W) x 137(H)
Outer Carton (cm)	29.5(L) x 28.5(W) x 22.5(H)



8+4LR03-BP

Art.-No.: 11084003

1.5V AAA



Packaging		Gross Weight:
Blister	12 pcs/pack	12.2 kg
Inner Box	6 packs/box	Volume:
Outer Carton	72 packs/carton	0.0207 cbm

Dimensions	
Blister (mm)	125(W) x 114(H) x 21(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



LR6-SP10

Art.-No.: 11101006

1.5V AA



Packaging		Gross Weight:
Shrink	10 pcs/pack	10.0 kg
Inner Box	20 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0064 cbm

Dimensions	
Inner Box (mm)	150(W) x 147(H) x 110(D)
Outer Carton (cm)	23.5(L) x 16.0(W) x 17.0(H)



LR03-SP10

Art.-No.: 11101003

1.5V AAA



Packaging		Gross Weight:
Shrink	10 pcs/pack	9.9 kg
Inner Box	40 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0064 cbm

Dimensions	
Inner Box (mm)	213(W) x 110(H) x 100(D)
Outer Carton (cm)	23.5(L) x 22.5(W) x 12.0(H)



LR6-SP10+2

Art.-No.: 11101206

1.5V AA



Packaging		Gross Weight:
Shrink	12 pcs/pack	11.8 kg
Inner Box	20 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0079 cbm

Dimensions	
Inner Box (mm)	175(W) x 150(H) x 110(D)
Outer Carton (cm)	31.5(L) x 19.0(W) x 13.2(H)



LR03-SP10+2

Art.-No.: 11101203

1.5V AAA



Packaging		Gross Weight:
Shrink	12 pcs/pack	11.8 kg
Inner Box	20 packs/box	Volume:
Outer Carton	4 boxes/carton	0.0075 cbm

Dimensions	
Inner Box (mm)	130(W) x 110(H) x 100(D)
Outer Carton (cm)	23.5(L) x 14.5(W) x 22.0(H)

Plus Alkaline

Camelion Plus Alkaline Batteries offer reliable and long-lasting power for your devices. The batteries are specially designed to deliver stable and long-term current, supporting devices such as remote control, toys, smart lock, smart sensors and electronic gaming devices.





Plus Alkaline

- Efficient discharge and long-lasting power performance
- Sustain high-drain devices with powerful energy
- Unique anti-leakage seal technology
- Extended storage life for up to 10 years
- Mercury and cadmium free



LR61-BP2
Art.-No.: 11000261

1.5V AAAA



Packaging		Gross Weight:
Blister (mm)	1 pcs/pack	16.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0295 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 23(D)	
Inner Box (mm)	160(L) x 75(W) x 86(H)	
Outer Carton (cm)	36.0(L) x 33.5(W) x 24.5(H)	



3LR12-BP1
Art.-No.: 11000112

4.5V



Packaging		Gross Weight:
Blister (mm)	1 pcs/pack	16.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0295 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 23(D)	
Inner Box (mm)	160(L) x 75(W) x 86(H)	
Outer Carton (cm)	36.0(L) x 33.5(W) x 24.5(H)	



3LR12-SP1
Art.-No.: 11100112

4.5V



Packaging		Gross Weight:
Shrink	1 pcs/pack	16.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0233 cbm
Dimensions		
Shrink (mm)	62(W) x 65.5(H) x 22(D)	
Inner Box (mm)	188(L) x 90(W) x 65(H)	
Outer Carton (cm)	38.5(L) x 20.5(W) x 29.5(H)	



LR1-BP2
Art.-No.: 11000201

1.5V N



Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 18(D)	
Inner Box (mm)	123(L) x 117(W) x 86(H)	
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)	



LR1 bulk
Art.-No.: 11100101

1.5V N



Packaging		Gross Weight:
Blister	1 pcs/pack	16.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0295 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 23(D)	
Inner Box (mm)	160(L) x 75(W) x 86(H)	
Outer Carton (cm)	36.0(L) x 33.5(W) x 24.5(H)	

Digi Alkaline

Camelion Digi Alkaline batteries are the right solution for many electronic devices including digital cameras, music players, and boom boxes. Using a new technology they offer long lasting power for high drain devices.





Digi Alkaline

- Low self-discharge - shelf life of up to 10 years
- Very good storage life with little capacity loss over time
- Stable voltage for high demands
- Suitable for use in extreme temperature fluctuations
- Longer storage time with maximum leakage protection
- Safety and stability thanks to improved bursting diaphragm



LR03-BP4DG

Art.-No.: 11210403

1.5V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR03-BP2DG

Art.-No.: 11210203

1.5V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	9.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-BP4DG

Art.-No.: 11210406

1.5V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



LR6-BP2DG

Art.-No.: 11210206

1.5V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	12.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR14-BP2DG

Art.-No.: 11210214

1.5V C



Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



LR20-BP2DG

Art.-No.: 11210220

1.5V D



Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



6LR61-BP1DG

Art.-No.: 11210122

9V



Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

Super Heavy Duty - Green

Camelion Super Heavy Duty Green Zinc Carbon Batteries are the perfect solution for small household electronic devices that require continuous power supply, such as clocks, flashlights, remote controls and transistor radios. By incorporating manganese dioxide and zinc/ammonium chloride, we've designed a leak-proof battery.





Super Heavy Duty

- Reliable battery technology
- Ultra-long lifespan
- Outstanding chemical constructure and quality
- PVC material ideal for economical choice
- No mercury and no cadmium added to the formula



R03P-BP4G
Art.-No.: 10000403

1.5V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 11(D)	
Inner Box (mm)	119(L) x 75(W) x 86(H)	
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)	



R6P-BP4G
Art.-No.: 10000406

1.5V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 15(D)	
Inner Box (mm)	131(L) x 98(W) x 86(H)	
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)	



6F22-BP1G
Art.-No.: 10000122

9V



Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 18(D)	
Inner Box (mm)	123(L) x 117(W) x 86(H)	
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)	



R14P-BP2G
Art.-No.: 10000214

1.5V C



Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 27(D)	
Inner Box (mm)	140(L) x 90(W) x 92(H)	
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)	



R20P-BP2G
Art.-No.: 10000220

1.5V D



Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 34(D)	
Inner Box (mm)	160(L) x 110(W) x 92(H)	
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)	

Super Heavy Duty



R03P-SP4G

Art.-No.: 10100403

1.5V AAA



Packaging

Shrink 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 288 packs/carton

Gross Weight:

15.9 kg

Volume:

0.0237 cbm

Dimensions

Shrink (mm) 84(W) x 114(H) x 11(D)
Inner Box (mm) 119(L) x 75(W) x 86(H)
Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)



R6P-SP4G

Art.-No.: 10100406

1.5V AA



Packaging

Shrink 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 144 packs/carton

Gross Weight:

15.22 kg

Volume:

0.0185 cbm

Dimensions

Shrink (mm) 84(W) x 114(H) x 15(D)
Inner Box (mm) 131(L) x 98(W) x 86(H)
Outer Carton (cm) 29.0(L) x 28.3(W) x 22.5(H)



6F22-SP1G

Art.-No.: 10100122

9V



Packaging

Shrink 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 288 packs/carton

Gross Weight:

15.9 kg

Volume:

0.0237 cbm

Dimensions

Shrink (mm) 84(W) x 114(H) x 11(D)
Inner Box (mm) 119(L) x 75(W) x 86(H)
Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)



R14P-SP2G

Art.-No.: 10100214

1.5V C



Packaging

Shrink 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 144 packs/carton

Gross Weight:

15.22 kg

Volume:

0.0185 cbm

Dimensions

Shrink (mm) 84(W) x 114(H) x 15(D)
Inner Box (mm) 131(L) x 98(W) x 86(H)
Outer Carton (cm) 29.0(L) x 28.3(W) x 22.5(H)



R20P-SP2G

Art.-No.: 10100220

1.5V D



Packaging

Shrink 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 288 packs/carton

Gross Weight:

15.9 kg

Volume:

0.0237 cbm

Dimensions

Shrink (mm) 84(W) x 114(H) x 11(D)
Inner Box (mm) 119(L) x 75(W) x 86(H)
Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)



R03P-SP8G

Art.-No.: 10108003

1.5V AAA



Packaging		Gross Weight:
Blister	8 pcs/pack	15.3 kg
Inner Box	40 packs/box	Volume:
Outer Carton	6 boxes/carton	0.0141 cbm

Dimensions	
Inner Box (mm)	170(L) x 110(W) x 100(H)
Outer Carton (cm)	31.5(L) x 23.5(W) x 19.5(H)



R6P-SP8G

Art.-No.: 10108006

1.5V AA



Packaging		Gross Weight:
Blister	8 pcs/pack	14.7 kg
Inner Box	20 packs/box	Volume:
Outer Carton	6 boxes/carton	0.0147 cbm

Dimensions	
Inner Box (mm)	150(L) x 118(W) x 110(H)
Outer Carton (cm)	34.5(L) x 25.0(W) x 17.0(H)



R03P-SP12G

Art.-No.: 10101203

1.5V AAA



Packaging		Gross Weight:
Blister	12 pcs/pack	14.8 kg
Inner Box	20 packs/box	Volume:
Outer Carton	8 boxes/carton	0.0143 cbm

Dimensions	
Inner Box (mm)	130(L) x 110(W) x 100(H)
Outer Carton (cm)	27.5(L) x 23.5(W) x 22.0(H)



R6P-SP12G

Art.-No.: 10101206

1.5V AA



Packaging		Gross Weight:
Blister	12 pcs/pack	16.5 kg
Inner Box	6 packs/box	Volume:
Outer Carton	8 boxes/carton	0.0127 cbm

Dimensions	
Inner Box (mm)	175(L) x 150(W) x 110(H)
Outer Carton (cm)	31.5(L) x 19.0(W) x 24.0(H)



FPG-GB25

Art.-No.: 10102500-1

1.5V 9V



Packaging		Gross Weight:
Inner Box	25 pcs/pack	7.7 kg
Outer Carton	24 boxes/carton	Volume:
		0.0079 cbm

Dimensions	
Inner Box (mm)	141(L) x 30(W) x 52(H)
Outer Carton (cm)	30.0(L) x 21.0(W) x 12.5(H)



FPG-GB40

Art.-No.: 10104000

1.5V



Packaging		Gross Weight:
24 x R6P + 12 x R03P + 4 x R14P + 1 x SL3013(Blue LR44)		13.0 kg
Outer Carton	18 boxes/carton	Volume:
		0.0223 cbm

Dimensions	
Box (mm)	132(L) x 126(W) x 54(H)
Outer Carton (cm)	40.0(L) x 28.0(W) x 19.5(H)



FPG-GB72

Art.-No.: 10197200-1

1.5V




Packaging		Gross Weight:
Inner Box	72 pcs/pack	9.84 kg
Outer Carton	12 boxes/carton	Volume:
		0.0106 cbm

Dimensions	
Inner Box (mm)	150(L) x 35(W) x 127(H)
Outer Carton (cm)	31.5(L) x 27.0(W) x 12.5(H)

Super Heavy Duty - Blue

Camelion Super Heavy Duty Blue Zinc Carbon Batteries are the perfect solution for small household electronic devices that require continuous power supply, such as clocks, flashlights, remote controls and transistor radios. By incorporating manganese dioxide and zinc/ammonium chloride, we've designed a leak-proof battery.





Super Heavy Duty

- Reliable battery technology
- Ultra-long lifespan
- Outstanding chemical constructure and quality
- No mercury and no cadmium added to the formula



R03P-BP4B

Art.-No.: 10200403

1.5V AAA



4 260033 151070

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton

Gross Weight:

15.9 kg

Volume:

0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



R6P-BP4B

Art.-No.: 10200406

1.5V AA



4 260033 151049

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	144 packs/carton

Gross Weight:

15.22 kg

Volume:

0.0185 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



6F22-BP1B

Art.-No.: 10200122

9V



4 260033 151094

Packaging

Blister	1 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:

11.2 kg

Volume:

0.0246 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)



R14P-BP2B

Art.-No.: 10200214

1.5V C



4 260033 151025

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	96 packs/carton

Gross Weight:

14.3 kg

Volume:

0.0227 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



R20P-BP2B

Art.-No.: 10200220

1.5V D



4 260033 151018

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	48 packs/carton

Gross Weight:

15.0 kg

Volume:

0.0157 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)

Photo Lithium

Camelion Photo Lithium Batteries are ideal for a wide range of cameras, flashlights, meters and more.





3V Photo Lithium

- Powerful output with large capacity, providing stable power for electronic devices
- Mercury and cadmium free
- Perfect for devices with limited space



CR123A-BP1

Art.-No.: 19001123

3V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Dimensions

Blister (mm) 84(W) x 114(H) x 17.5(D)
Inner Box (mm) 118(L) x 95(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 21.5(H)



Gross Weight: 5.5 kg
Volume: 0.0243 cbm



CR2-BP1

Art.-No.: 19001142

3V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Dimensions

Blister (mm) 84(W) x 114(H) x 16.5(D)
Inner Box (mm) 118(L) x 85(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 19.0(H)



Gross Weight: 4.5 kg
Volume: 0.0215 cbm



6V Photo Lithium

- Offers more power for demanding applications.
- Cameras, flash units and other devices
- Ideal for cameras and flash units that require a longer runtime.



CR-P2-BP1

Art.-No.: 19001152

6V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Dimensions

Blister (mm) 84(W) x 114(H) x 20.5(D)
Inner Box (mm) 118(L) x 105(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 23.5(H)



Gross Weight: 10.0 kg
Volume: 0.0265 cbm



2CR5-BP1

Art.-No.: 19001125

6V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Dimensions

Blister (mm) 84(W) x 114(H) x 18(D)
Inner Box (mm) 118(L) x 105(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 23.5(H)



Gross Weight: 10.0 kg
Volume: 0.0265 cbm



Camelion®


Electronic Button Cells

Camelion Electronic Button Cells provide stable energy for small electronic devices and are available in lithium, alkaline, silver oxide and zinc air chemistries, depending upon voltage and size requirements of your equipment. They are suitable for car keys, calculators, laser points, hearing aids and many other electronic gadgets.

Electronics Lithium 3V

Camelion Lithium Button Cells are powerful batteries made of lithium and manganese dioxide with 3.0V voltage. They have a stainless steel casing, a high energy density and a long durability. They are suitable for many devices such as computers, cameras, alarm systems etc.





Electronics Lithium 3V

- Powerful and stable performance
- Low self-discharge, long storage life
- Outstanding anti-leakage feature
- High energy density
- No mercury and cadmium added to the formulation




ITEM	ITEM NO.	EAN	PACKAGING WxHxD(mm)	INNER BOX LxWxH (mm)	SHIPPING CARTON LxWxH (cm)	G.W.(kg)	VOLUME (m³)
CR1216-BP1	13001216	4260033152831	55 x 92 x 3 1 PC / BLISTER	98 x 37 x 58 10 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	6.0	0.0451
CR1220-BP1	13001122	4260033152824				6.5	
CR1225-BP1	13001225	4260033152817				5.5	
CR1616-BP1	13001161	4260033152800				6.8	
CR1620-BP1	13001620	4260033152794				7.0	
CR1632-BP1	13001632	4260033152923				8.6	
CR2016-BP1	13001016	4260033152787				7.2	
CR2025-BP1	13001025	4260033152770				9.1	
CR2032-BP1	13001032	4260033152763				10.1	
CR2320-BP1	13001320	4260033152756				98 x 55 x 57 10 PACKS	
CR2325-BP1	13001325	4260033152848	13.0				
CR2330-BP1	13001330	4260033152749	13.6				
CR2354-BP1	13001354	4260216456596	14.0				
CR2430-BP1	13001430	4260033152732	20.7				
CR2450-BP1	13001450	4260033152725	20.7				
CR2477-BP1	13001477	4260216455353	27.3				
CR927-BP1	13001927	4260216452475	6.2				
CR1216-BP5	13005216	4260033152718	55 x 190 x 3 5 PCS / BLISTER	195 x 105 x 64 30 PACKS	45.5 x 20.5 x 20.5 360 PACKS	6.0	0.0191
CR1220-BP5	13005122	4260033152701				6.0	
CR1225-BP5	13005225	4260033152695				5.5	
CR1616-BP5	13005161	4260033152688				6.3	
CR1620-BP5	13005620	4260033152671				6.5	
CR1632-BP5	13005632	4260216455797				8.1	
CR2016-BP5	13005016	4260033152664				7.2	
CR2025-BP5	13005025	4260033152657				8.6	
CR2032-BP5	13005032	4260033152640				9.6	
CR2430-BP5	13005430	4260216455803	55 x 227 x 3 5 PCS / BLISTER	230 x 130 x 75 30 PACKS	54.5 x 24.0 x 24.7 360 PACKS	13.3	0.0323
CR2450-BP5	13005450	4260216455810				16.9	

Electronics Alkaline 1.5V

Camelion Alkaline Button Cells are powered by a zinc manganese dioxide electrochemical system that provides a reliable and long-lasting energy source. They have a nominal voltage of 1.5V and a stainless steel casing that protects them from corrosion and leakage. With a shelf life of about 5 years these button cells are ideal for watches, calculators, toys, lights and other small devices that require low to moderate power.





Electronics Alkaline 1.5V

- Powerful and stable performance
- Ideal for high drain electronic gadgets
- Reliable, steady power output
- No mercury and cadmium added to the formula
- Broad scope of applications



ITEM(0%Hg)	ITEM NO.	EAN	PACKAGING WxHxD (mm)	INNER BOX LxWxH (mm)	SHIPPING CARTON LxWxH (cm)	G.W. (kg)	VOLUME (m³)
AG1-BP2(0%Hg)	12050201	4260216454783	56 x 92 x 5 2 PC / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	7.0	0.0379
AG2-BP2(0%Hg)	12050202	4260216454790				7.8	
AG3-BP2(0%Hg)	12050203	4260216454806				8.0	
AG4-BP2(0%Hg)	12050204	4260216454622				7.0	
AG5-BP2(0%Hg)	12050205	4260216454813	56 x 92 x 7 2 PC / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.0	0.0451
AG6-BP2(0%Hg)	12050206	4260216454820	56 x 92 x 5 2 PC / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	8.0	0.0379
AG7-BP2(0%Hg)	12050207	4260216454837				8.5	
AG8-BP2(0%Hg)	12050208	4260216454844				9.0	
AG9-BP2(0%Hg)	12050209	4260216454851				9.0	
AG10-BP2(0%Hg)	12050210	4260216454608				10.0	
AG11-BP2(0%Hg)	12050211	4260216454868				7.0	
AG12-BP2(0%Hg)	12050212	4260216454875	56 x 92 x 7 2 PC / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	11.0	0.0451
AG13-BP2(0%Hg)	12050213	4260216454615				13.0	
625A-BP1(0%Hg)	12050125	4260216454882	56 x 92 x 7 1 PC / BLISTER	146 x 98 x 58 40 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	18.0	0.0451
AG0-BP10(0%Hg)	12051000	4260216454899	50x 160 x 5 10 PCS / BLISTER	170 x 40 x 52 20 PACKS	50.0 x 20.0 x 20.0 360 PACKS	4.0	0.0198
AG1-BP10(0%Hg)	12051001	4260216454905				4.0	
AG2-BP10(0%Hg)	12051002	4260216454912				4.5	
AG3-BP10(0%Hg)	12051003	4260216454929				5.0	
AG4-BP10(0%Hg)	12051004	4260216454400				4.0	
AG5-BP10(0%Hg)	12051005	4260216454936				6.5	
AG6-BP10(0%Hg)	12051006	4260216454943				5.0	
AG7-BP10(0%Hg)	12051007	4260216454950				5.5	
AG8-BP10(0%Hg)	12051008	4260216454967				6.0	
AG9-BP10(0%Hg)	12051009	4260216454974				6.0	
AG10-BP10(0%Hg)	12051010	4260216454981				7.0	
AG11-BP10(0%Hg)	12051011	4260216454998				4.0	
AG12-BP10(0%Hg)	12051012	4260216455001				8.7	
AG13-BP10(0%Hg)	12051013	4260216455018				10.0	

Industrial Classifications

AG0	LR521	G0			379
AG1	LR621	G1	LR60	164	364
AG2	LR726	G2	LR59	196	396
AG3	LR41	G3	LR41	192	392
AG4	LR626	G4	LR66	177	377
AG5	LR754	G5	LR48	193	393
AG6	LR921	G6	LR69	171	371

AG7	LR926	G7	LR57	195	395
AG8	LR1120	G8	LR55	191	391
AG9	LR936	G9	LR45	194	394
AG10	LR1130	G10	LR54	189	389
AG11	LR721	G11	LR58	162	362
AG12	LR43	G12	LR43	186	386
AG13	LR44	G13	LR44	A76	357

Remote Control Batteries

Camelion Remote Control batteries are specially designed for radio and remote controls. They are characterized by their sustainable power and long shelf life, lasting up to three years.





Remote Control Batteries

- Higher voltage than the ordinary micro alkaline batteries
- Stable and stronger energy for small electronic devices
- 0% Mercury
- Individual blister packaging



ITEM(0% Hg)	ITEM NO.	EAN	Voltage (V)	PACKAGING WxHxD (mm)	INNER BOX LxWxH (mm)	SHIPPING CARTON LxWxH (cm)	G.W. (kg)	VOLUME (m³)
A11-BP1(0%Hg)	11050111	4260216455049	6V	56 x 92 x 10 1 PC / BLISTER	125 x 95 x 58 20 PACKS	39.5 x 30.5 x 31.5 900 PACKS	7.6	0.0380
A23-BP1(0%Hg)	11050123	4260216455056	12V				8.6	
A27-BP1(0%Hg)	11050127	4260216455063	12V				8.0	
LR32A-BP1(0%Hg)	11050132	4260216455070	9V				6.0	
A23-BP5(0%Hg)	11050523	4260216455087	12V	50 x 160 x 10 5 PCS / BLISTER	170 x 65 x 52 10 PACKS	42.0 x 36.0 x 18.0 360 PACKS	18.0	0.0273
A27-BP5(0%Hg)	11050527	4260216455094	12V				12.0	



4LR44-BP1 Art.-No.: 12050144

6V



Packaging
Blister 1 pcs/pack
Inner Box 20 packs/box
Outer Carton 900 packs/carton

Gross Weight:
15.0 kg
Volume:
0.0451 cbm

Dimensions
Blister (mm) 56(W) x 92(H) x (D)
Inner Box (mm) 145(L) x 95(W) x 58(H)
Outer Carton (cm) 45.5(L) x 31.5(W) x 31.5(H)



4LR44-BP5 Art.-No.: 12050544

6V



Packaging
Blister 5 pcs/pack
Inner Box 6 packs/box
Outer Carton 192 packs/carton

Gross Weight:
13.2 kg
Volume:
0.0150 cbm

Dimensions
Blister (mm) 50(W) x 160(H) x (D)
Inner Box (mm) 170(L) x 78(W) x 52(H)
Outer Carton (cm) 33.5(L) x 19.0(W) x 23.5(H)



4LR43-BP1 Art.-No.: 12050143

6V



Packaging
Blister 1 pcs/pack
Inner Box 20 packs/box
Outer Carton 900 packs/carton

Gross Weight:
15.0 kg
Volume:
0.0451 cbm

Dimensions
Blister (mm) 56(W) x 92(H) x (D)
Inner Box (mm) 145(L) x 95(W) x 58(H)
Outer Carton (cm) 45.5(L) x 31.5(W) x 31.5(H)



LR11A-BP1 Art.-No.: 11050111

6V




Packaging
Blister 1 pcs/pack
Inner Box 20 packs/box
Outer Carton 900 packs/carton

Gross Weight:
7.6 kg
Volume:
0.038 cbm

Dimensions
Blister (mm) 56(W) x 92(H) x 10(D)
Inner Box (mm) 125(L) x 95(W) x 58(H)
Outer Carton (cm) 39.5(L) x 30.5(W) x 31.5(H)

Silver Oxide Batteries

Camelion Silver Oxide batteries guarantee long-lasting performance and are specially designed for use in watches, calculators and medical devices such as blood glucose meters, insulin pumps and thermometers. Their extended run time and high voltage stability make them the ideal choice for consistent, long-term power. They also offer high leakage safety and low self-discharge. When you need reliable performance for demanding applications, Camelion silver oxide batteries are the right choice.





Silver Oxide 1.55V

- Powerful output with large capacity, providing stable and safe power
- Lightweight and reliable, easy to storage and use
- Mercury and cadmium free, reduce pollution to the environment



ITEM(0% Hg)	ITEM NO.	EAN	PACKAGING WxHxD (mm)	INNER BOX LxWxH (mm)	SHIPPING CARTON LxWxH (cm)	G.W. (kg)	VOLUME (m³)
SR41-BP1(0%Hg)	14051041	4260216455117	55x 92 x 5 1 PC / BLISTER	145 x 95 x 58 40 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	8.5	0.0451
SR43-BP1(0%Hg)	14051043	4260216455124				10.5	
SR44-BP1(0%Hg)	14051044	4260216455131				11.5	
SR54-BP1(0%Hg)	14051054	4260216455148				9.5	
SR57-BP1(0%Hg)	14051057	4260216455155				8.5	
SR58-BP1(0%Hg)	14051058	4260216455162				8	
SR59-BP1(0%Hg)	14051059	4260216455179				8	
SR60-BP1(0%Hg)	14051060	4260216455186				8	
SR63-BP1(0%Hg)	14051063	4260216455193				7.5	
SR66-BP1(0%Hg)	14051066	4260216455209				8	
SR69-BP1(0%Hg)	14051069	4260216455216				9.5	
SR41-BP5(0%Hg)	14055041	4260216455223	55x 190 x 5 5 PCS / BLISTER	195 x 90 x 58 20 PACKS	37.0 x 21.7 x 29.5 360 PACKS	4.5	0.0237
SR43-BP5(0%Hg)	14055043	4260216455230				6.5	
SR44-BP5(0%Hg)	14055044	4260216455247				7.5	
SR54-BP5(0%Hg)	14055054	4260216455254				5.5	
SR57-BP5(0%Hg)	14055057	4260216455261				4.5	
SR58-BP5(0%Hg)	14055058	4260216455278				4	
SR59-BP5(0%Hg)	14055059	4260216455285				4	
SR60-BP5(0%Hg)	14055060	4260216455292				4	
SR63-BP5(0%Hg)	14055063	4260216455308				3.5	
SR66-BP5(0%Hg)	14055066	4260216455315				4	
SR69-BP5(0%Hg)	14055069	4260216455322				5.5	



4SR44-BP1C(0% Hg)

Art.-No.: 14051444

6.2V



Packaging		Gross Weight:
Blister	1 pcs/pack	15.0 kg
Inner Box	20 packs/box	Volume:
Outer Carton	900 packs/carton	0.0451 cbm

Dimensions	
Blister (mm)	55(W) x 92(H) x 5(D)
Inner Box (mm)	145(L) x 95(W) x 58(H)
Outer Carton (cm)	45.5(L) x 31.5(W) x 31.5(H)



4SR44-Bulk

Art.-No.: 14052444

6.2V



Packaging		Gross Weight:
Inner Box	32 packs/box	14.6 kg
Outer Carton	1280 packs/carton	Volume:
		0.0104 cbm

Dimensions	
Inner Box (mm)	102(L) x 52(W) x 30(H)
Outer Carton (cm)	24(L) x 23.5(W) x 18.5(H)

Hearing Aid Batteries

Camelion Hearing Aid batteries are light and reliable. They come in four different sizes suitable for different types of hearing aids. The package is specially designed for easy access, storage and usage.





ZincAir 1.4V

- Powerful output with large capacity, providing stable and safe power
- Lightweight and reliable, easy to storage and use
- Mercury and cadmium free, reduce pollution to the environment



ITEM	ITEM NO.	EAN	WxHxD (mm)	PACKAGING	WxHxD (mm)	INNER BOX	WxHxD (mm)	INNER CARTON	WxHxD (cm)	SHIPPING CARTON	G.W. (kg)	VOLUME (m³)
A13-BP6(0%Hg)	15056013	4260030253975	48 x 90 x 6.5	6PCS/Blister	92 x 42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	6.5	0.0242
A10-BP6(0%Hg)	15056010	4043752391961	48 x 90 x 4.5	6PCS/Blister	92 x 32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.0	0.0196
A675-BP6(0%Hg)	15056675	4260030253999	48 x 90 x 6.5	6PCS/Blister	92 x 42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	9.5	0.0242
A312-BP6(0%Hg)	15056312	4260030253982	48 x 90 x 4.5	6PCS/Blister	92 x 32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.5	0.0196



Battery Selection Chart

Lithium P7 Batteries		         
Ultra Alkaline Batteries		         
Digi Alkaline Batteries		         
Plus Alkaline Batteries		        
Super Heavy Duty Batteries	 	    
Photo Lithium Batteries		  
9V Lithium Battery		 
Micro Batteries: Lithium		  
Micro Batteries: Alkaline / Silver Oxide	  	  
Hearing Aid Zinc Air		

Please Note:

These are suggested recommendations only. For the most accurate information please refer to your device manufacturer's manual. Camelion is not responsible for accidents resulting from the use of this information

Specifications

	Lithium P7		Digi Alkaline		Plus Alkaline							Super Heavy Duty							
	FR6	FR03	LR6	LR03	LR20	LR14	LR6	LR03	LR61	6LF22**	3LR12	R6	R03	R20	R14	6F22**	3R12*	4R25	R10
Nominal Voltage (V)	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	9	4.5	1.5	1.5	1.5	1.5	9	4.5	6	1.5
Average Capacity (mAh)	2800	1100	2800	1100	18000	8500	2800	1100	600	190**	2700*	950	460	5600	2400	450	1700	7000	500

20+/-2°C, Rated capacity at 25 mA continuous drain, to 0.8V

* 20+/-2°C, Rated capacity at 25 mA continuous drain, to 2.7V

** 20+/-2°C, Rated capacity at 25 mA continuous drain, to 4.8V

Camelion®

...for more energy



North America

- Canada
- U. S. A

Caribbean/Latin America

- Argentina
- Brazil
- Bolivia
- Chile
- Colombia
- Costa Rica
- Cuba
- Dominica
- Ecuador
- EL Salvador
- Guatemala
- Haiti
- Mexico
- Nicaragua
- Panama
- Paraguay
- Peru
- Puerto Rico
- Trinidad and Tobago
- Uruguay
- Venezuela

Middle East /Africa

- Algeria
- Benin
- Andorra
- Egypt
- Iran
- Israel
- Kuwait
- Lebanon
- Morocco
- Sierra Leone
- Saudi Arabia
- Syria
- S. Africa
- Tunisia
- U.A.E.
- Uganda

Europe

- Austria
- Albania
- Andorra
- Belarus
- Belgium
- Bosnia
- Bulgaria
- Czech Republic
- Croatia
- Cyprus
- Denmark
- Estonia
- Finland
- France
- Germany
- Georgia
- Greece
- Hungary
- Iceland
- Ireland
- Italy
- Montenegro
- Latvia
- Lithuania
- Luxembourg
- Macedonia
- Malta
- Netherlands
- Norway
- Portugal
- Poland
- Romania
- Russia
- Serbia
- Slovakia
- Slovenia
- Spain
- Sweden
- Switzerland
- Turkey
- United Kingdom
- Ukraine

Asia

- Afghanistan
- Armenia
- Azerbaijan
- Bangladesh
- Cambodia
- China
- Hong Kong
- Indonesia
- India
- Iraq
- Japan
- Jordan
- Korea
- Kazakhstan
- Laos
- Malaysia
- Pakistan
- Philippines
- Singapore
- Sri Lanka
- Taiwan
- Thailand
- Turkmenistan
- Vietnam
- Yemen

Oceania

- Australia
- Fiji
- New Zealand

EUROPE HEAD OFFICE / WAREHOUSE

Camelion Batterien GmbH.

Bergiusstr. 53-59, D-12057 Berlin,
Germany



For more information visit www.camelion.com



Camelion Batterien GmbH

Copyright ©2024 Batterien GmbH, All rights reserved

CA-2024/2025EN