

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D D P	R I C C D D P	I C C D D P	P K K 2 D	P K K 2 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
rfPIC12F675K	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	R	R	9.70	R	R	
rfPIC12F675H	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	R	R	9.70	R	R	
rfPIC12F675F	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	R	R	9.70	R	R	
rfPIC12C509AG	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	R	R	R	R	R	
rfPIC12C509AF	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	R	R	R	R	R	
dsPIC33FJ64MC804	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC802	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC710A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC710	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC706A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC706	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC510A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC510	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC508A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC508	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC506A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC506	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC204	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ64MC202	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ64GS610	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ64GS608	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ64GS606	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ64GS406	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ64GP804	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP802	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP710A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP710	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP708A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP708	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP706A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP706	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP310A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP310	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP306A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP306	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP206A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP206	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP204	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ64GP202	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ32MC304	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ32MC302	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ32MC204	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ32MC202	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	
dsPIC33FJ32MC104	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D P	R I C C D D D P	I C C D D D P	P K K 2 2 D	P K K 2 2 D	P K K 3 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
dsPIC33FJ32MC102	Y	Y	Y	Y	R	R	R	Y	Y	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33FJ32MC101	Y	Y	Y	Y	R	R	R	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33FJ32GS610	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ32GS608	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ32GS606	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ32GS406	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ32GP304	G	G	G	G	G	G	G	G	G	Y		R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ32GP302	G	G	G	G	G	G	G	G	G	Y		R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ32GP204	G	G	G	G	G	G	G	G	G	Y		R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ32GP202	G	G	G	G	G	G	G	G	G	Y		R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ32GP104	Y	Y	Y	Y	R	R	R	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33FJ32GP102	Y	Y	Y	Y	R	R	R	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33FJ32GP101	Y	Y	Y	Y	R	R	R	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33FJ256MC710A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ256MC710	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ256MC510A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ256MC510	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ256GP710A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ256GP710	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ256GP510A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ256GP510	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ256GP506A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ256GP506	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ16MC304	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ16MC102	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33FJ16MC101	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33FJ16GS504	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ16GS502	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ16GS404	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ16GS402	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ16GP304	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ16GP102	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33FJ16GP101	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33FJ12MC202	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ12MC201	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ12GP202	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ12GP201	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128MC804	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128MC802	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128MC710A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128MC710	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128MC708A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128MC708	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128MC706A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128MC706	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D D P	R I C C D D D P	I C C D D D P	P K K 2 2 D	P K K 2 2 D	P K K 3 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
dsPIC33FJ128MC510A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128MC510	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128MC506A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128MC506	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128MC204	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128MC202	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128GP804	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128GP802	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128GP710A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP710	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP708A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP708	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP706A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP706	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP310A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP310	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP306A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP306	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP206A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP206	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP204	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128GP202	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ09GS302	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33FJ06GS202A	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33FJ06GS202	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ06GS102A	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33FJ06GS102	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ06GS101A	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33FJ06GS101	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ06GS001	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP64MC506	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC504	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC503	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC502	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC204	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC203	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC202	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64GP506	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64GP504	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64GP503	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64GP502	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP512MU814	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33EP512MU810	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33EP512MC806	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D P	R I C C D D P	I C C D D P	P K K 2 D	P K K 2 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
dsPIC33EP512MC506	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512MC504	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512MC502	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512MC206	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512MC204	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512MC202	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512GP806	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP512GP506	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512GP504	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512GP502	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP32MC504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP32MC503	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP32MC502	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP32MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP32MC203	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP32MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP32GP504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP32GP503	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP32GP502	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP256MU814	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33EP256MU810	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33EP256MU806	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33EP256MC506	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP256MC504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP256MC502	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP256MC206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP256MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP256MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP256GP506	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP256GP504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP256GP502	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP128MC506	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP128MC504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP128MC502	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP128MC206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP128MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP128MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP128GP506	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP128GP504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP128GP502	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC30F6015	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6014A	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6014	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6013A	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6013	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.																					
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																					
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																					
Device Support 2012-07-03 1241 devices	R I C C E E D P	R I C C D D 3 P	I C C D D 3 P	P K K 2 D	P K K 2 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O
dsPIC30F6012A	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6012	G	G	G	R	R	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6011A	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6011	G	G	G	R	R	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6010A	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6010	G	G	G	R	R	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F5016	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F5015	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F5013	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F5011	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F4013	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F4012	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F4011	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F3014	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F3013	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F3012	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F3011	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F3010	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F2023	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F2020	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F2012	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F2011	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F2010	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F1010	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
SST25VF040B	R	R	R	R	R	R	R	Y	R	R	R	R	R	R	R	R	R	R	R	R	R
PS810	R	R	R	R	R	R	R	Y	R	R	3.90	3.35	R	R	R	R	R	R	R	R	R
PS500	R	R	R	R	R	R	R	Y	R	R	3.90	3.35	R	R	R	R	R	R	R	R	R
PS200	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
PIC32MX795F512L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.05	R	R	1.00	R	R	R
PIC32MX795F512H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.05	R	R	1.00	R	R	R
PIC32MX775F512L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX775F512H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX775F256L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX775F256H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX764F128L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX764F128H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX695F512L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.10	R	R	1.00	R	R	R
PIC32MX695F512H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.10	R	R	1.00	R	R	R
PIC32MX675F512L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.05	R	R	1.00	R	R	R
PIC32MX675F512H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.05	R	R	1.00	R	R	R
PIC32MX675F256L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX675F256H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX664F128L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX664F128H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX664F064L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R

"G" Green indicates full, production tested support.																						
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																						
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																						
Device Support 2012-07-03 1241 devices	R I C C E E D D P	R I C C D D P	I C C D D P	P K K 2 D P	P K K 2 D P	P K K 3 D P	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O	
PIC32MX664F064H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX575F512L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.05	R	R	1.00	R	R	R
PIC32MX575F512H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.05	R	R	1.00	R	R	R
PIC32MX575F256L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.10	R	R	1.00	R	R	R
PIC32MX575F256H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.10	R	R	1.00	R	R	R
PIC32MX564F128L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX564F128H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX564F064L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX564F064H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX534F064L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX534F064H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX460F512L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX460F256L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX440F512H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX440F256H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX440F128L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX440F128H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX420F032H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX360F512L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX360F256L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX340F512H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX340F256H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX340F128L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX340F128H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX320F128L	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX320F128H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX320F064H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX320F032H	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX250F128D	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX250F128C	R	R	R	R	R	R	R	G	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX250F128B	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX230F064D	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX230F064C	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX230F064B	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX220F032D	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX220F032C	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX220F032B	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX210F016D	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX210F016C	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX210F016B	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX150F128D	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX150F128C	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX150F128B	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX130F064D	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX130F064C	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R

"G" Green indicates full, production tested support.																						
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																						
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																						
Device Support 2012-07-03 1241 devices	R I C C E E D P D	R I C C D D 3 P D	I C C D D 3 P D	P K K 2 D P	P K K 2 D P	P K K 3 D P	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O	
PIC32MX130F064B	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX120F032D	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX120F032C	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX120F032B	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX110F016D	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX110F016C	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX110F016B	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC24HJ64GP510A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ64GP510	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ64GP506A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ64GP506	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ64GP504	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ64GP502	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ64GP210A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ64GP210	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ64GP206A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ64GP206	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ64GP204	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ64GP202	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ32GP304	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ32GP302	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ32GP204	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ32GP202	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ256GP610A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ256GP610	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ256GP210A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ256GP210	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ256GP206A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ256GP206	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ16GP304	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ12GP202	G	G	G	G	G	G	G	G	Y	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ12GP201	G	G	G	G	G	G	G	G	Y	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP510A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ128GP510	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP506A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ128GP506	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP504	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ128GP502	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ128GP310A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ128GP310	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP306A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ128GP306	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP210A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ128GP210	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP206A	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D D P	R I C C D D P	I C C D D P	P K K 2 D	P K K 2 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
PIC24HJ128GP206	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	
PIC24HJ128GP204	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ128GP202	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FV32KA304	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FV32KA302	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FV32KA301	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FV16KA304	G	G	G	G	R	R	G	G	Y	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FV16KA302	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FV16KA301	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FJ96GA010	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	
PIC24FJ96GA008	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	
PIC24FJ96GA006	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	
PIC24FJ64GC010	Y	Y	Y	Y	R	R	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	
PIC24FJ64GC006	Y	Y	Y	Y	R	R	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	
PIC24FJ64GB502	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20	R	3.20	R	R	1.00	R	R	R	R
PIC24FJ64GB204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	
PIC24FJ64GB202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	
PIC24FJ64GB110	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ64GB108	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ64GB106	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ64GB004	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24FJ64GB002	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24FJ64GA310	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FJ64GA308	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FJ64GA306	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FJ64GA110	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ64GA108	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ64GA106	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ64GA104	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24FJ64GA102	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24FJ64GA010	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	
PIC24FJ64GA008	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	
PIC24FJ64GA006	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	
PIC24FJ64GA004	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24FJ64GA002	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24FJ48GA004	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ48GA002	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ32MC104	Y	Y	Y	Y	R	R	R	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
PIC24FJ32MC102	Y	Y	Y	Y	R	R	R	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
PIC24FJ32MC101	Y	Y	Y	Y	R	R	R	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
PIC24FJ32GB004	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24FJ32GB002	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24FJ32GA104	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24FJ32GA102	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24FJ32GA004	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D P	R I C C D D 3 P	I C C D D 3 P	P K K 2 D	P K K 2 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
PIC24FJ32GA002	G	G	G	G	G	G	G	G	Y	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	
PIC24FJ256GB210	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ256GB206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ256GB110	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ256GB108	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ256GB106	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ256GA110	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ256GA108	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ256GA106	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ256DA210	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ256DA206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ256DA110	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ256DA106	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ192GB110	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ192GB108	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ192GB106	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ192GA110	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ192GA108	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ192GA106	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ16MC102	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R	R
PIC24FJ16MC101	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R	R
PIC24FJ16GA004	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ16GA002	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ128GC010	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24FJ128GC006	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24FJ128GB210	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ128GB206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ128GB204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
PIC24FJ128GB202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
PIC24FJ128GB110	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ128GB108	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ128GB106	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ128GA310	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FJ128GA308	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FJ128GA306	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FJ128GA110	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ128GA108	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ128GA106	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	
PIC24FJ128GA010	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	
PIC24FJ128GA008	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	
PIC24FJ128GA006	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	
PIC24FJ128DA210	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ128DA206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ128DA110	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ128DA106	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D P D	R I C C D D 3 P D	I C C D D 3 P D	P K K 2 D P	P K K 2 D P	P K K 3 D P	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
PIC24F32KA304	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F32KA302	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F32KA301	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F16KM204	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F16KM202	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F16KM104	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F16KM102	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F16KL402	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F16KL401	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F16KA304	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F16KA302	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F16KA301	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F16KA102	G	G	G	G	Y	Y	G	G	G	Y	Y	R	R	3.10.B	R	3.10.B	R	R	1.00	R	R	R	R
PIC24F16KA101	G	G	G	G	Y	Y	G	G	G	Y	Y	R	R	3.10.B	R	3.10.B	R	R	1.00	R	R	R	R
PIC24F08KM204	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F08KM202	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F08KM102	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F08KM101	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F08KL402	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KL401	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KL302	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KL301	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KL201	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KL200	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KA102	G	G	G	G	Y	Y	G	G	G	Y	Y	R	R	3.10.B	R	3.10.B	R	R	1.00	R	R	R	R
PIC24F08KA101	G	G	G	G	Y	Y	G	G	G	Y	Y	R	R	3.10.B	R	3.10.B	R	R	1.00	R	R	R	R
PIC24F04KL101	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F04KL100	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F04KA201	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.10.B	R	3.10.B	R	R	1.00	R	R	R	R
PIC24F04KA200	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24EP64MC206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64MC204	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64MC203	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64MC202	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64GP206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64GP204	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64GP203	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64GP202	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP512MC206	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
PIC24EP512MC204	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
PIC24EP512MC202	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	
PIC24EP512GU814	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R	R
PIC24EP512GU810	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R	R
PIC24EP512GP806	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24EP512GP206	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	

"G" Green indicates full, production tested support.																						
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																						
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																						
Device Support 2012-07-03 1241 devices	R I C C E E D D P	R I C C D D 3 P	I C C D D 3 P	P K K 2 D	P K K 2 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O	
PIC24EP512GP204	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R
PIC24EP512GP202	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R
PIC24EP32MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP32MC203	R	R	R	R	R	R	R	R	R	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP32MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP32GP204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP32GP203	R	R	R	R	R	R	R	R	R	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP32GP202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP256MC206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP256MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP256MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP256GU814	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R
PIC24EP256GU810	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R
PIC24EP256GP206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP256GP204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP256GP202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP128MC206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP128MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP128MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP128GP206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP128GP204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC24EP128GP202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R
PIC18LF66K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF65K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF47J53	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF47J13	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF46K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF46K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF46J53	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF46J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	9.52	9.63pl3
PIC18LF46J13	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF46J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	9.52	9.63pl3
PIC18LF45K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF45K50	R	Y	R	Y	R	R	R	Y	R	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R
PIC18LF45K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF45J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	9.52	9.63pl3
PIC18LF45J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	9.52	9.63pl3
PIC18LF45J10	G	G	G	G	G	G	G	G	G	G	Y	5.38	3.37	R	R	R	R	1.00	R	R	9.52	9.63pl3
PIC18LF44K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF44J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	9.52	9.63pl3
PIC18LF44J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	9.52	9.63pl3
PIC18LF44J10	G	G	G	G	G	G	G	G	G	G	Y	5.38	3.37	R	R	R	R	1.00	R	R	9.52	9.63pl3
PIC18LF43K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF27J53	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	9.52	9.65
PIC18LF27J13	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	9.52	9.65

"G" Green indicates full, production tested support.																						
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																						
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																						
Device Support 2012-07-03 1241 devices	R I C C E E D P	R I C C D D 3 P	I C C D D 3 P	P K K 2 D	P K K 2 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O	
PIC18LF26K80	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF26K22	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF26J53	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF26J50	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF26J13	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF26J11	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF25K80	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF25K50	R	Y	R	Y	R	R	Y	R	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R	R
PIC18LF25K22	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF25J50	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF25J11	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF25J10	G	G	G	G	G	G	G	G	Y		5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF24K50	R	Y	R	Y	R	R	Y	R	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R	R
PIC18LF24K22	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF24J50	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF24J11	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF24J10	G	G	G	G	G	G	G	G	Y		5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF23K22	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF14K50	G	G	G	Y	Y	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF14K22	G	G	G	Y	Y	G	G	G	Y		5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF13K50	G	G	G	Y	Y	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF13K22	G	G	G	R	R	G	G	G	Y		5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F97J94	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R	R
PIC18F97J60	G	G	G	G	G	G	G	G	Y		5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F96J99	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R
PIC18F96J94	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R	R
PIC18F96J65	G	G	G	G	G	G	G	G	Y		5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F96J60	G	G	G	G	G	G	G	G	Y		5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F95J94	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R
PIC18F87K90	G	G	G	R	R	G	G	G	Y	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F87K22	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F87J94	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R	R
PIC18F87J93	G	G	G	R	R	G	G	G	Y		5.32	3.32	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F87J90	G	G	G	G	G	G	G	G	Y		5.22	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F87J72	G	G	G	R	R	G	G	G	Y	Y	5.35	3.35	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F87J60	G	G	G	G	G	G	G	G	Y		5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F87J50	G	G	G	G	G	G	G	G	Y		5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F87J11	G	G	G	G	G	G	G	G	Y		5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F87J10	G	G	G	G	G	G	G	G	Y		3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F8723	G	G	G	G	G	G	G	G	Y		5.15	3.15	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F8722	G	G	G	G	G	G	G	G	Y		3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F8720	G	G	G	G	G	G	G	G	Y		3.90	3.35	R	R	R	R	1.00	R	R	R	8.11pl1	9.63
PIC18F86K90	G	G	G	R	R	G	G	G	Y	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F86K22	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F86J99	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device,
e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	R I C C E E D P	R I C C D D P	I C C D D P	P K K 2 D	P K K 3 D	P K K 3 P	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
PIC18F86J94	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R		
PIC18F86J93	G	G	G	G	R	R	G	G	G	Y	5.32	3.32	R	R	R	R	1.00	R	R	R	9.52	9.63p13	
PIC18F86J90	G	G	G	G	G	G	G	G	G	Y	5.22	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p13	
PIC18F86J72	G	G	G	G	R	R	G	G	G	Y	5.35	3.35	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F86J65	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F86J60	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F86J55	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61p11	
PIC18F86J50	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61p11	
PIC18F86J16	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61p11	
PIC18F86J15	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p13	9.63	
PIC18F86J11	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61p11	
PIC18F86J10	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p13	9.63	
PIC18F8680	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.30	9.63	
PIC18F8628	G	G	G	G	G	G	G	G	G	Y	5.15	3.15	R	R	R	R	1.00	R	R	R	9.51	9.61p11	
PIC18F8627	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p13	9.63	
PIC18F8622	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	8.35p13	9.63	
PIC18F8621	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63	
PIC18F8620	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11p11	9.63	
PIC18F85K90	G	G	G	G	R	R	G	G	G	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F85K22	G	G	G	G	R	R	G	G	G	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F85J94	R	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R
PIC18F85J90	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F85J50	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61p11	
PIC18F85J15	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p13	9.63	
PIC18F85J11	G	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F85J10	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p13	9.63	
PIC18F8585	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.30	9.63	
PIC18F8527	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	8.35p13	9.63	
PIC18F8525	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63	
PIC18F8520	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63	
PIC18F84J90	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F84J11	G	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F8493	G	G	G	G	G	G	G	G	G	Y	5.16	3.16	R	R	R	R	1.00	R	R	R	9.51	9.61p11	
PIC18F8490	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F8410	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63	
PIC18F83J90	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F83J11	G	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F8393	G	G	G	G	G	G	G	G	G	Y	5.16	3.16	R	R	R	R	1.00	R	R	R	9.51	9.61p11	
PIC18F8390	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p13	9.63	
PIC18F8310	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63	
PIC18F67K90	G	G	G	G	R	R	G	G	G	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F67K22	G	G	G	G	R	R	G	G	G	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F67J94	R	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R	
PIC18F67J93	G	G	G	G	R	R	G	G	G	Y	5.32	3.32	R	R	R	R	1.00	R	R	R	9.52	9.63p13	
PIC18F67J90	G	G	G	G	G	G	G	G	G	Y	5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63p13	

"G" Green indicates full, production tested support.																						
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																						
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																						
Device Support 2012-07-03 1241 devices	R I C C E E D P	R I C C D D 3 P	I C C D D 3 P	P K K 2 D	P K K 2 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O	
PIC18F67J60	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F67J50	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F67J11	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F67J10	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F6723	G	G	G	G	G	G	G	G	Y	5.15	3.15	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F6722	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F6720	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11pl1	9.63	
PIC18F66K90	G	G	G	R	R	G	G	Y	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F66K80	G	G	G	R	R	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F66K22	G	G	G	R	R	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F66J99	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R
PIC18F66J94	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R	R
PIC18F66J93	G	G	G	R	R	G	G	G	Y	5.32	3.32	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18F66J90	G	G	G	G	G	G	G	G	Y	5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18F66J65	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F66J60	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F66J55	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F66J50	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F66J16	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F66J15	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F66J11	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F66J10	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F6680	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.30	9.63	
PIC18F6628	G	G	G	G	G	G	G	G	Y	5.15	3.15	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F6627	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F6622	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F6621	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63	
PIC18F6620	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11pl1	9.63	
PIC18F65K90	G	G	G	R	R	G	G	Y	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F65K80	G	G	G	R	R	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F65K22	G	G	G	R	R	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F65J94	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R
PIC18F65J90	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F65J50	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F65J15	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F65J11	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F65J10	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F6585	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.30	9.63	
PIC18F6527	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F6525	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63	
PIC18F6520	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63	
PIC18F64J90	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F64J11	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F6493	G	G	G	G	G	G	G	G	Y	5.16	3.16	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F6490	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D P	R I C C D D 3 P	I C C D D 3 P	P K 2 D	P K 2 D	P K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
PIC18F6410	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F63J90	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F63J11	G	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F6393	G	G	G	G	G	G	G	G	G	Y	5.16	3.16	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F6390	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F6310	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F47J53	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F47J13	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F46K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F46K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F46K20	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F46J53	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F46J50	G	G	G	G	G	G	G	G	G	Y	5.20	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18F46J13	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F46J11	G	G	G	G	G	G	G	G	G	Y	5.20	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl2	
PIC18F4685	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F4682	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F4680	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4620	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4610	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F45K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F45K50	R	Y	R	Y	R	R	R	Y	R	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R	
PIC18F45K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F45K20	G	G	G	G	G	G	G	G	G	Y	5.10	3.10	R	R	R	R	1.00	R	R	R	9.51	9.63	
PIC18F45J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F45J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F45J10	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	9.10	9.63	
PIC18F4585	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4580	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F458	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63	
PIC18F4553	G	G	G	G	G	G	G	G	G	Y	5.12	3.12	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F4550	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4539	R	R	R	R	R	R	R	R	R	R	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20pl4	9.63	
PIC18F4525	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4523	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F4520	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F452	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63	
PIC18F4515	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F4510	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F44K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F44K20	G	G	G	G	G	G	G	G	G	Y	5.10	3.10	R	R	R	R	1.00	R	R	R	9.51	9.63	
PIC18F44J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F44J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F44J10	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	9.10	9.63	
PIC18F4480	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D D P	R I C C D D 3 P	I C C D D 3 P	P K K 2 D	P K K 2 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
PIC18F448	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63	
PIC18F4458	G	G	G	G	G	G	G	G	G	Y	5.12	3.12	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F4455	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4450	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl1	9.63	
PIC18F4439	R	R	R	R	R	R	R	R	R	R	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20pl4	9.63	
PIC18F4431	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4423	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F4420	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F442	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63	
PIC18F4410	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F43K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F43K20	G	G	G	G	R	R	G	G	G	Y	5.30	3.30	R	R	R	R	1.00	R	R	R	9.51	9.63	
PIC18F4331	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4321	G	G	G	G	G	G	G	G	G	Y	4.01	2.43	R	R	R	R	1.00	R	R	R	9.10	9.63	
PIC18F4320	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20pl3	9.63	
PIC18F4221	G	G	G	G	G	G	G	G	G	Y	4.01	2.43	R	R	R	R	1.00	R	R	R	9.10	9.63	
PIC18F4220	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20pl3	9.63	
PIC18F27J53	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F27J13	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F26K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F26K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F26K20	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F26J53	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F26J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F26J13	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F26J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl2
PIC18F2685	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F2682	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F2680	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F2620	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F2610	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F25K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F25K50	R	Y	R	Y	R	R	R	Y	R	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R	
PIC18F25K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F25K20	G	G	G	G	G	G	G	G	G	Y	5.10	3.10	R	R	R	R	1.00	R	R	R	9.51	9.63	
PIC18F25J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F25J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F25J10	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	9.10	9.63	
PIC18F2585	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F2580	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F258	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63	
PIC18F2553	G	G	G	G	G	G	G	G	G	Y	5.12	3.12	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F2550	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F2539	R	R	R	R	R	R	R	R	R	R	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20pl4	9.63	
PIC18F2525	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D P	R I C C D D 3 P	I C C D D 3 P	P K K 2 D	P K K 2 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
PIC18F2523	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F2520	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F252	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63	
PIC18F2515	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F2510	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F24K50	R	Y	R	Y	R	R	Y	R	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R	R	
PIC18F24K22	G	G	G	G	R	R	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F24K20	G	G	G	G	G	G	G	G	Y	Y	5.10	3.10	R	R	R	R	1.00	R	R	R	9.51	9.63	
PIC18F24J50	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18F24J11	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18F24J10	G	G	G	G	G	G	G	G	Y	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	9.10	9.63	
PIC18F2480	G	G	G	G	G	G	G	G	Y	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35pl3	9.63	
PIC18F248	G	G	G	G	G	G	G	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63	
PIC18F2458	G	G	G	G	G	G	G	G	Y	Y	5.12	3.12	R	R	R	R	1.00	R	R	R	9.51	9.61pl1	
PIC18F2455	G	G	G	G	G	G	G	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F2450	G	G	G	G	G	G	G	G	Y	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl1	9.63	
PIC18F2439	R	R	R	R	R	R	R	R	R	R	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20pl4	9.63	
PIC18F2431	G	G	G	G	G	G	G	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F2423	G	G	G	G	G	G	G	G	Y	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63	
PIC18F2420	G	G	G	G	G	G	G	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F242	G	G	G	G	G	G	G	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63	
PIC18F2410	G	G	G	G	G	G	G	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63	
PIC18F23K22	G	G	G	G	R	R	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F23K20	G	G	G	G	R	R	G	G	G	Y	5.30	3.30	R	R	R	R	1.00	R	R	R	9.51	9.63	
PIC18F2331	G	G	G	G	G	G	G	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F2321	G	G	G	G	G	G	G	G	Y	Y	4.01	2.43	R	R	R	R	1.00	R	R	R	9.10	9.63	
PIC18F2320	G	G	G	G	G	G	G	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20pl3	9.63	
PIC18F2221	G	G	G	G	G	G	G	G	Y	Y	4.01	2.43	R	R	R	R	1.00	R	R	R	9.10	9.63	
PIC18F2220	G	G	G	G	G	G	G	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20pl3	9.63	
PIC18F14K50	G	G	G	G	Y	Y	G	G	Y	Y	5.22	3.31	R	R	R	R	1.00	R	R	R	9.51pl2	9.61pl1	
PIC18F14K22LIN	G	G	G	G	R	R	G	G	Y	Y	5.42	3.39	R	R	R	R	1.00	R	R	R	R	R	
PIC18F14K22	G	G	G	G	Y	Y	G	G	G	Y	5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18F13K50	G	G	G	G	Y	Y	G	G	Y	Y	5.22	3.31	R	R	R	R	1.00	R	R	R	9.51pl2	9.61pl1	
PIC18F13K22	G	G	G	G	R	R	G	G	G	Y	5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18F1330	G	G	G	G	G	G	G	G	Y	Y	5.03	3.03	R	R	R	R	1.00	R	R	R	9.50pl1	9.63	
PIC18F1320	G	G	G	G	G	G	G	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20pl3	9.63	
PIC18F1230	G	G	G	G	G	G	G	G	Y	Y	5.03	3.03	R	R	R	R	1.00	R	R	R	9.50pl1	9.63	
PIC18F1220	G	G	G	G	G	G	G	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20pl3	9.63	
PIC18C858	R	R	R	R	R	R	R	R	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.01pl1	9.63
PIC18C801	R	R	R	R	R	R	R	R	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.10	9.63
PIC18C658	R	R	R	R	R	R	R	R	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18C601	R	R	R	R	R	R	R	R	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.10	9.63
PIC18C452	R	R	R	R	R	R	R	R	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18C442	R	R	R	R	R	R	R	R	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18C252	R	R	R	R	R	R	R	R	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device,
e.g., PIC24 devices cannot be supported by XC32 compiler.

[illegible]

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D P	R I C C D D D P	I C C D D D P	P K K 2 2 D	P K K 2 3 D	P K K 3 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
PIC16LF1509	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	1.00	R	R	9.83	R	R
PIC16LF1508	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	1.00	R	R	9.83	R	R
PIC16LF1507	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.82	R	R
PIC16LF1503	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	1.00	R	R	9.82	R	R
PIC16LF1459	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	5.43	R	R	R	R	R	1.00	R	R	R	R	R
PIC16LF1455	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	5.43	R	R	R	R	R	1.00	R	R	R	R	R
PIC16LF1454	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC16HV785	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16HV616	G	G	G	G	G	G	G	G	G	G	Y	5.04	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16HV610	G	G	G	G	G	G	G	G	G	G	Y	5.11	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16HV540	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F946	G	G	G	G	G	G	G	G	G	G	Y	4.01	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F917	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F916	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F914	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F913	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F887	G	G	G	G	G	G	G	G	G	G	Y	5.05	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F886	G	G	G	G	G	G	G	G	G	G	Y	5.05	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F884	G	G	G	G	G	G	G	G	G	G	Y	5.05	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F883	G	G	G	G	G	G	G	G	G	G	Y	5.05	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F882	G	G	G	G	G	G	G	G	G	G	Y	5.11	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F88	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F877A	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F877	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F876A	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F876	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F874A	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F874	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F873A	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F873	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F872	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F871	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F870	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F87	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F84A	R	G	R	G	R	R	R	R	G	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F84	R	G	R	G	R	R	R	R	G	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F83	R	G	R	G	R	R	R	R	G	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F819	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F818	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F785	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F777	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F77	R	G	R	G	R	R	R	R	G	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F767	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F76	R	G	R	G	R	R	R	R	G	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F747	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R

"G" Green indicates full, production tested support.																							
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																							
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																							
Device Support 2012-07-03 1241 devices	R I C C E E D P D	R I C C D D 3 P D	I C C D D 3 P D	P K K 2 D P	P K K 2 D P	P K K 3 D P	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O		
PIC16F74	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F737	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F73	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F727	G	G	G	G	G	R	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F726	G	G	G	G	G	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F724	G	G	G	G	G	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F723A	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F723	G	G	G	G	G	R	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F722A	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F722	G	G	G	G	G	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F721	G	G	G	G	R	R	G	G	G	Y	Y	5.38	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F720	G	G	G	G	R	R	G	G	G	Y	Y	5.38	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F72	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F716	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F707	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F690	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F689	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F688	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F687	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F685	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F684	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F677	G	G	G	G	G	G	G	G	G	Y	5.04	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F676	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F648A	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F639	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F636	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F631	G	G	G	G	G	G	G	G	G	Y	5.04	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F630	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F628A	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F628	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F627A	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F627	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F616	G	G	G	G	G	G	G	G	G	Y	5.04	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F610	G	G	G	G	G	G	G	G	G	Y	5.10	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F59	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F57	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F54	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F527	R	R	R	R	R	R	R	R	Y	Y	5.45	R	R	R	R	R	R	R	R	R	R	R	
PIC16F526	G	G	G	G	R	R	G	G	G	G	Y	5.15	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F506	G	G	G	G	G	G	G	G	G	Y	3.90.01	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F505	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F1947	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F1946	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F1939	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F1938	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R

"G" Green indicates full, production tested support.																						
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																						
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																						
Device Support 2012-07-03 1241 devices	R I C C E D P	R I C C D D P	I C C D D P	P K K 2 D	P K K 2 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O	
PIC16F1937	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16F1936	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16F1934	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16F1933	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16F1847	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.80	R	R
PIC16F1829	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1828	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1827	G	G	G	R	R	G	G	G	Y	Y	5.31	R	R	R	R	R	1.00	R	R	9.65pl1	R	R
PIC16F1826	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65pl1	R	R
PIC16F1825	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1824	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1823	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F1787	Y	Y	Y	Y	R	R	Y	Y	Y	Y	5.45	R	R	R	R	R	R	R	R	R	R	R
PIC16F1786	Y	Y	Y	Y	R	R	Y	Y	Y	Y	5.45	R	R	R	R	R	R	R	R	R	R	R
PIC16F1784	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	5.45	R	R	R	R	1.00	R	R	R	R	R
PIC16F1783	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC16F1782	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC16F1527	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1526	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.71pl1	R	R
PIC16F1519	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1518	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1517	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1516	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1513	G	G	G	R	R	G	G	G	Y	Y	G	R	R	R	R	R	1.01	R	R	R	R	R
PIC16F1512	G	G	G	R	R	G	G	G	Y	Y	5.36	R	R	R	R	R	1.01	R	R	R	R	R
PIC16F1509	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	1.00	R	R	9.83	R	R
PIC16F1508	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	1.00	R	R	9.83	R	R
PIC16F1507	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.82	R	R
PIC16F1503	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	1.00	R	R	9.82	R	R
PIC16F1459	Y	Y	Y	Y	R	R	Y	Y	Y	Y	5.43	R	R	R	R	R	1.00	R	R	R	R	R
PIC16F1455	Y	Y	Y	Y	R	R	Y	Y	Y	Y	5.43	R	R	R	R	R	1.00	R	R	R	R	R
PIC16F1454	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC16CR926	R	R	R	R	R	R	R	R	G	Y	Y	3.90	R	R	R	R	1.00	R	R	9.65pl1	R	R
PIC16CR84	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR83	R	R	R	R	R	R	R	Y	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR77	R	R	R	R	R	R	R	G	Y	Y	5.45	R	R	R	R	R	1.00	R	R	9.65pl1	R	R
PIC16CR76	R	R	R	R	R	R	R	Y	Y	Y	5.45	R	R	R	R	R	1.00	R	R	9.65pl1	R	R
PIC16CR74	R	R	R	R	R	R	R	G	Y	Y	5.45	R	R	R	R	R	1.00	R	R	9.65pl1	R	R
PIC16CR73	R	R	R	R	R	R	R	Y	Y	Y	5.45	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR72	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR65	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR64	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR63	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR620A	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR62	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device,
e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	R I C C E D P	R I C C D D P	I C C 2 D	I C C 3 D	P K 2 D	P K 3 D	P K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O
PIC16CR58B	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR57C	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR56A	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR54C	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR54A	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR54	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CE625	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CE624	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CE623	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C926	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C925	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C924	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C923	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C782	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C781	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C774	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C773	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C771	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C770	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C77	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C765	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C76	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C74B	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C74A	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C745	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C73B	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	1.00	R	R	9.70	R	R

"G" Green indicates full, production tested support.																					
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																					
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																					
Device Support 2012-07-03 1241 devices	R	R	I	I	P	P	P	P	S	S	M	C	C	d	C	C	X	X	X	P	P
	I	I	C	C	K	K	K	K	M	M	P	1	2	s	3	3	C	C	C	I	I
	C	C	D	D	2	2	3	3	I	I	A	8	4	P	0	2	8	1	3	C	C
	D	D	P	P	D	P	P	P	S	S	S			I			6	2		1	8
	P	P							A	P	M			C					S	T	D
																					O
PIC16C62B	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C62A	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C622A	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C622	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C621A	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C621	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C620A	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C620	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C58B	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C58A	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C57C	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C57	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C56A	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C56	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C55A	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C558	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C557	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C554	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C55	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C54C	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C54	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C505	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C433	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC16C432	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC12LF1840T48A	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.82
PIC12LF1840T39A	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	R	R	R	
PIC12LF1840	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71
PIC12LF1822	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70
PIC12LF1552	R	R	R	R	R	R	R	R	R	Y	Y	5.45	R	R	R	R	R	R	R	R	
PIC12LF1501	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	1.00	R	R	R
PIC12HV752	G	G	G	G	R	R	G	G	G	Y	Y	5.40	R	R	R	R	R	1.00	R	R	9.81
PIC12HV615	G	G	G	G	G	G	G	G	G	G	Y	5.11	R	R	R	R	R	1.00	R	R	9.70
PIC12HV609	G	G	G	G	G	G	G	G	G	G	Y	5.11	R	R	R	R	R	1.00	R	R	9.70
PIC12F752	G	G	G	G	R	R	G	G	G	Y	Y	5.40	R	R	R	R	R	1.00	R	R	9.81
PIC12F683	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC12F675	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC12F635	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC12F629	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70
PIC12F617	G	G	G	G	R	R	G	G	G	Y	Y	5.35	R	R	R	R	R	1.00	R	R	9.70
PIC12F615	G	G	G	G	G	G	G	G	G	G	Y	5.10	R	R	R	R	R	1.00	R	R	9.70
PIC12F609	G	G	G	G	G	G	G	G	G	G	Y	5.10	R	R	R	R	R	1.00	R	R	9.60
PIC12F529T48A	R	G	R	G	R	R	R	G	G	Y	Y	5.45	R	R	R	R	R	1.00	R	R	R
PIC12F529T39A	R	G	R	G	R	R	R	G	G	Y	Y	5.45	R	R	R	R	R	1.00	R	R	R
PIC12F519	G	G	G	G	R	R	G	G	G	G	Y	5.13	R	R	R	R	R	1.00	R	R	9.70
PIC12F510	G	G	G	G	G	G	G	G	G	G	Y	3.90.01	R	R	R	R	R	1.00	R	R	9.70

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	R	R	I	I	P	P	P	P	S	S	M	C	C	d	C	C	X	X	X	P	P	P	
	I	I	C	C	K	K	K	K	I	I	A	1	2	s	3	3	C	C	C	C	C	C	
	E	D	3	3	2	2	3	3	M	M	S	8	4	P	0	2	8	16	32	P	C	C	
	D	P	D	P	D	P	P	P	3	3	A			I						I	18	18	
																					STD	PRO	
PIC12F509	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12F508	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12F1840	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC12F1822	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12F1501	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	1.00	R	R	R	R	R
PIC12CR509A	R	R	R	R	R	R	R	R	R	G	Y	5.45	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12CE674	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12CE673	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12CE519	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12CE518	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12C672	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12C671	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.60	R	R
PIC12C509A	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12C509	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12C508A	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12C508	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC10LF322	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC10LF320	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC10F322	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC10F320	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC10F222	G	G	G	G	G	G	G	G	G	Y		4.00	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC10F220	G	G	G	G	G	G	G	G	G	Y		4.00	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC10F206	G	G	G	G	G	G	G	G	G	Y		3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC10F204	G	G	G	G	G	G	G	G	G	Y		3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC10F202	G	G	G	G	G	G	G	G	G	Y		3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC10F200	G	G	G	G	G	G	G	G	G	Y		3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
MCV28A	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
MCV20USB	G	G	G	G	R	R	G	G	Y	R	R	5.35	3.35	R	R	R	R	R	R	R	R	R	R
MCV18E	G	G	G	G	R	R	G	G	Y	R	R	5.35	R	R	R	R	R	1.00	R	R	9.81	R	R
MCV18A	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
MCV14A	R	R	R	R	R	R	R	R	G	R	R	5.15c	R	R	R	R	R	1.00	R	R	9.70	R	R
MCV08A	R	R	R	R	R	R	R	R	G	R	R	3.90.01	R	R	R	R	R	1.00	R	R	9.70	R	R
MCP25055	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R	R	R	R	R	R
MCP25050	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R	R	R	R	R	R
MCP25025	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R	R	R	R	R	R
MCP25020	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R	R	R	R	R	R
MCP19111	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	5.40	R	R	R	R	R	1.00	R	R	9.83	R	R
MCP19110	R	Y	R	Y	R	R	Y	R	Y	Y	Y	5.40	R	R	R	R	R	1.00	R	R	9.83	R	R
HCS515	R	R	R	R	R	R	R	R	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	R
HCS512	R	R	R	R	R	R	R	R	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	R
HCS500	R	R	R	R	R	R	R	R	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	R
HCS412	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R	R	R	R	R	R
HCS410	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R	R	R	R	R	R
HCS370	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R	R	R	R	R	R
HCS365	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R	R	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device,
e.g., PIC24 devices cannot be supported by XC32 compiler.

[illegible]

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device,
e.g., PIC24 devices cannot be supported by XC32 compiler.

[illegible]

"G" Green indicates full, production tested support.																					
"Y" Yellow indicates preliminary, beta support, not production tested. Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.																					
"R" Red indicates no support for this device. Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.																					
Device Support 2012-07-03 1241 devices	R	R	I	I	P	P	P	P	S	S	M	C	C	d	C	C	X	X	X	P	P
	R	R	I	I	P	P	P	P	S	S	M	C	C	d	C	C	X	X	X	P	P
	C	C	D	D	K	K	K	K	M	M	A	1	2	s	3	3	C	C	C	C	C
	E	E	3	3	2	2	3	3	3	3	S	8	4	P	0	2	8	1	3	1	8
	D	D	P	P	D	D	D	D	A	P	M			I						S	P
	P	P																		T	O
25AA040	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R
25AA020A	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R	R	R
25AA010A	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R	R	R
24LCS52	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R
24LCS22A	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R
24LCS21A	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R
24LC65	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC64	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC515	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R
24LC512	R	R	R	R	R	R	R	R	R	Y	R	R	G	R	R	R	R	R	R	R	R
24LC32A	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC256	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC22A	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R
24LC21A	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R
24LC16B	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC128	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC1026	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R
24LC1025	R	R	R	R	R	R	R	R	R	Y	R	R	G	R	R	R	R	R	R	R	R
24LC08B	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC04B	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC02B	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC025	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R
24LC024H	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R	R
24LC024	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC01B	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC014H	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC014	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24LC00	R	R	R	R	R	R	R	R	R	Y	R	R	G	R	R	R	R	R	R	R	R
24FC64	R	R	R	R	R	R	R	R	R	Y	R	R	G	R	R	R	R	R	R	R	R
24FC515	R	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R
24FC512	R	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R
24FC256	R	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R
24FC128	R	R	R	R	R	R	R	R	R	Y	R	R	G	R	R	R	R	R	R	R	R
24FC1026	R	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R
24FC1025	R	R	R	R	R	R	R	R	R	Y	R	R	G	R	R	R	R	R	R	R	R
24C65	R	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R
24C02C	R	R	R	R	R	R	R	R	R	Y	R	R	G	R	R	R	R	R	R	R	R
24C01C	R	R	R	R	R	R	R	R	R	Y	R	R	G	R	R	R	R	R	R	R	R
24C00	R	R	R	R	R	R	R	R	R	Y	R	R	G	R	R	R	R	R	R	R	R
24AA65	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24AA64	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R
24AA52	R	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R
24AA515	R	R	R	R	R	R	R	R	R	R	R	R	G	R	R	R	R	R	R	R	R
24AA512	R	R	R	R	R	R	R	R	R	Y	R	R	G	R	R	R	R	R	R	R	R
24AA32A	R	R	R	R	R	R	R	R	R	G	R	R	G	R	R	R	R	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device,
e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	R R I I P P P P M S I S M P A S M C 1 8 C 2 4 d s P I C C 3 0 C 3 2 X C 8 X C 1 6 X C 3 2 P I C C P I C C 1 8 S T D P I C C 1 8 P R O
	C C E E D D 3 3 D D K K 2 2 P P 3 3 P P 3 3 M I M I S A
24AA256	R R R R R R R R R G R R R G R
24AA16	R R R R R R R R R G R R R G R
24AA128	R R R R R R R R R G R R R G R
24AA1026	R R R R R R R R R R R R R G R R R G R
24AA1025	R R R R R R R R R R R R R Y R R R G R
24AA08	R R R R R R R R R R R R R G R R R G R
24AA04	R R R R R R R R R R R R R G R R R G R
24AA025	R R R R R R R R R R R R R R R R R G R R R G R R R R R R R R R R R R R R R R
24AA024H	R R R R R R R R R R R R R R R R R G R R R G R R R R R R R R R R R R R R R R
24AA024	R R R R R R R R R R R R R R R R R G R R R G R R R R R R R R R R R R R R R R
24AA02	R R R R R R R R R R R R R G R R R G R
24AA014H	R R R R R R R R R R R R R G R R R G R
24AA014	R R R R R R R R R R R R R G R R R G R
24AA01	R R R R R R R R R R R R R G R R R G R
24AA00	R R R R R R R R R R R R R Y R R R G R
11LC161	R R R R R R R R R R R R R R R R R G R R R G R R R R R R R R R R R R R R R R
11LC160	R R R R R R R R R R R R R G R R R G R
11LC080	R R R R R R R R R R R R R G R R R G R
11LC040	R R R R R R R R R R R R R G R R R G R
11LC020	R R R R R R R R R R R R R G R R R G R
11LC010	R R R R R R R R R R R R R G R R R G R
11AA161	R R R R R R R R R R R R R R R R R G R R R G R R R R R R R R R R R R R R R R
11AA160	R R R R R R R R R R R R R G R R R G R
11AA080	R R R R R R R R R R R R R G R R R G R
11AA040	R R R R R R R R R R R R R G R R R G R
11AA020	R R R R R R R R R R R R R G R R R G R
11AA010	R R R R R R R R R R R R R G R R R G R