




产品概述 Product Overview

TB系列端子采用板式螺钉压接底座封闭整体式结构，该产品结构简单，配用TO型端头使用，更加牢固可靠，可作各类电气装置中接线之用。

TB series terminals adopt plated screw pressing to connect, its base sealed, as a whole structure, this product has simple structure, operated with TO connector, very solid and reliable, able to be used in the connection of various electric devices



外形尺寸 Dimensions

型号 Item No.	外形尺寸 Dimensions							
	L	L1	A	B	D	E	Ø1	Ø2
TB-1503	46	34	7.5	9	22	17	4	8
TB-1504	54	44	7.5	9	22	17	4	8
TB-1505	63	52	7.5	9	22	17	4	8
TB-1506	72	62	7.5	9	22	17	4	8
TB-1510	108	97	7.5	9	22	17	4	8
TB-1512	125	113	7.5	9	22	17	4	8
TB-1515	152	142	7.5	9	22	17	4	8
TB-1520	195	185	7.5	9	22	17	4	8
TB-2503	55	44	10.5	12	30	20	4	8
TB-2504	67	56	10.5	12	30	20	4	8
TB-2505	79	68	10.5	12	30	20	4	8
TB-2506	90	79	10.5	12	30	20	4	8
TB-2510	139	129	10.5	12	30	20	4	8
TB-2512	163	153	10.5	12	30	20	4	8
TB-3503	55	44	10.5	12	30	20	4	8
TB-3504	67	56	10.5	12	30	20	4	8
TB-3505	79	68	10.5	12	30	20	4	8
TB-3506	90	79	10.5	12	30	20	4	8
TB-3510	139	129	10.5	12	30	20	4	8
TB-3512	163	153	10.5	12	30	20	4	8
TB-4503	69	58	15	16.5	37.5	23.5	5	8
TB-4504	86	75.5	15	16.5	37.5	23.5	5	8
TB-4505	113	92	15	16.5	37.5	23.5	5	8
TB-4506	120	109.5	15	16.5	37.5	23.5	5	8
TB-4510	186.5	176	15	16.5	37.5	23.5	5	8
TBC-6003	75	63	15	17	37.5	30	5	8
TBC-6004	92.5	81	15	17	37.5	30	5	8
TBC-6006	128	116	15	17	37.5	30	5	8
TBC-6012	235	223	15	17	37.5	30	5	8
TBC-10003	88	75	19	22	43.5	34.5	5	8
TBC-10004	108.5	97	19	22	43.5	34.5	5	8
TBC-10006	152	141	19	22	43.5	34.5	5	8
TBC-10012	284	273	19	22	43.5	34.5	5	8