

UM 72-PROFIL 100CM

Order No.: 2907583

The illustration shows the variant UM 45-Profil CM



<http://eshop.phoenixcontact.co.za/phoenix/treeViewClick.do?UID=2907583>

Drawn section panel mounting base, with a constructional width of 72 mm and a fixed length of 100 cm

Commercial data

EAN	 4 017918 365394
Pack	1 pcs.
Customs tariff	39162000
Catalog page information	Page 606 (CC-2009)

Product notes

WEEE/RoHS-compliant since:
01-01-2005



Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Housing type	Panel mounting base
Housing material	PVC
Color	green

Dimensions / positions

Length	1 m
Width	1000 mm

Technical data


Ambient temperature (operation)	-15 °C ... 50 °C
Inflammability class according to UL 94	V0

Accessories

Item	Designation	Description
Assembly		
2959382	UM 72-FE	Foot element, 72 mm wide, for mounting on NS 32 or NS 35/7.5, below profile housing UM 72.
2976077	UMK-BF	Mounting flange, for mounting directly on the wall

Drawings

Dimensioned drawing



Address

PHOENIX CONTACT (Pty) Ltd.
36 Lyn Road
Ferndale 2160, South Africa
Phone +/27/11/801-8200
Fax +/27/11/793-4403
<http://www.phoenixcontact.co.za>

PHOENIX CONTACT Türkiye
 PHOENIX CONTACT Elektronik Tic. Ltd. Şti.
Technical modifications reserved;