

UMK-BE 45

Order No.: 2970015

The illustration shows a combination of versions UMK SE 11,25, UMK BE 11,25,- 22,5, -45 and UMK-FE



<http://eshop.phoenixcontact.co.za/phoenix/treeViewClick.do?UID=2970015>

Electronic board base, plug-in module base element

Commercial data

EAN	 4 017918 087548
Pack	10 pcs.
Customs tariff	85472000
Catalog page information	Page 610 (CC-2009)

Product notes

WEEE/RoHS-compliant since:
01-01-2003



Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Housing type	Panel mounting base
Housing material	Polyamide
Color	green

Dimensions / positions

Length	77 mm
Width	56.25 mm

Technical data


Ambient temperature (operation)	-40 °C ... 105 °C
Inflammability class acc. to UL 94	V2

Accessories

Item	Designation	Description
General		
2971535	UMK-BE 11,25	Electronic board base, plug-in module base element
2970028	UMK-BE 22,5	Electronic board base, plug-in module base element
2970031	UMK-FE	Foot element, for mounting on DIN rail NS 32 or DIN rail NS 35/7.5, can be inserted between base and side element

Drawings

Dimensioned drawing



Address

PHOENIX CONTACT (Pty) Ltd.
36 Lyn Road
Ferndale 2160, South Africa
Phone +/27/11/801-8200
Fax +/27/11/793-4403
<http://www.phoenixcontact.co.za>

PHOENIX CONTACT Türkiye
 PHOENIX CONTACT Elektronik Tic. Ltd. Şti.
Technical modifications reserved;